



Permit Number: HUPP-2010-003

SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS

HISTORIC USE PRODUCTION PERMIT

THIS CERTIFIES THAT: City of Robinson
111 W. Lyndale
Robinson, Texas 76706
Phone: 254-662-5140

(the "Permittee"), has applied for an Historic Use Production Permit to withdraw and place to beneficial use groundwater from within the District, and that the Board of Directors of the Southern Trinity Groundwater Conservation District ("District") has APPROVED the application as follows:

1 Permit Category

This permit is a **Historic Use Production Permit**.

2 Permit Term

The term of this permit is **perpetual**.

3 Groundwater Source

The source of groundwater is the **Trinity Aquifer**.

4 Annual Groundwater Withdrawal Amounts

Permittee may withdraw groundwater from the Trinity Aquifer for beneficial, nonwasteful use in a manner not to exceed the following volume: **1417.933 Acre-Feet (462,035,000 Gallons) per calendar year**. This groundwater withdrawal amount has been calculated pursuant to Section 5.211 of the District's rules. It may be subject to proportional adjustment pursuant to Chapter 5, Subchapter B of the District's rules, as may be amended.

5 Purpose of Use

Permittee may use Trinity Aquifer groundwater only for **municipal purposes**.

6 Well Name(s), Location(s), and Maximum Rate of Withdrawal

Groundwater may only be withdrawn from the aquifer from a well(s) located at each of the location(s) and with a maximum rate of withdrawal(s) (flow rate) as follows:

| <u>Name</u> | <u>Location (latitude/longitude)</u> | <u>Maximum Flow Rate</u> |
|-------------|--------------------------------------|--------------------------|
| Well # 3 | N31D 27M 07S / W97D 06M 52S | 185 gpm |
| Well # 7 | N31D 29M 10S / W97D 08M 29S | 285 gpm |
| Well # 8 | N31D 27M 41S / W97D 08M 30S | 420 gpm |

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

| | | |
|-----------|-----------------------------|---------|
| Well # 9 | N31D 29M 48S / W97D 06M 45S | 400 gpm |
| Well # 10 | N31D 28M 28S / W97D 06M 40S | 400 gpm |

7 Measurement of Amount of Groundwater Withdrawn

Permittee may only withdraw groundwater from a well that has an operating flow meter that meets the requirements of Chapter 8 of the District's rules.

8 Place of Use

Permittee may beneficially use Aquifer groundwater only within the Permittee's wholesale or retail water service area identified in the Certificate of Convenience and Necessity P0785, filed with the Texas Commission on Environmental Quality. Except as provided by 5.401(b) of the District's rules, as may be amended, if the place of use is not within the District's boundaries, Permittee must obtain a groundwater exportation permit from the District prior to the withdrawal of groundwater under the permit.

9 Well Construction, Operation, Maintenance, Closure

The well(s) identified in this permit shall be installed, equipped, operated, maintained, plugged, capped, or closed, as may be appropriate in accordance with the District's rules and all other applicable federal, state, and local laws, including by submitting a copy of a state plugging report to the District within 60 days after capping or plugging any well.

10 Water Conservation

Withdrawals of groundwater are required to be efficiently withdrawn and used in compliance with the District's rules and the District's water conservation plan, as may be amended, and Permittee's plan as approved by the District, as may be applicable.

11 Conveyance to Place of Use

Water authorized by this permit to be produced must be conveyed to the place of use in a manner to prevent evaporation, channel loss by percolation, or waste. Water conveyed greater than a distance of one-half mile from the wellhead where produced must be conveyed through a pipeline.

12 Meters; Alternative Measuring Method

Permittee shall install, operate and maintain the meter or alternative measuring method on the well(s) identified in this permit in compliance with the District's rules and the manufacturer's instructions.

13 Reports

Permittee shall timely file all applicable reports with the District on forms prescribed by the District as required by the District's rules, as may be amended, and other applicable law.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

14 Fees

Permittee shall timely pay and remain current on the payment of all applicable fees to the District.

15 Interruption, Suspension, or Other Limitations Due to Drought

Permittee shall reduce water supply and consumption during times of drought in accordance with the District's rules and the District's management plan and Permittee's plan approved by the District, as applicable.

16 Groundwater Management Plan

Permittee shall withdraw and use groundwater only in accordance with the District's approved groundwater management plan, as may be amended.

17 Water Quality

Permittee shall use diligence to protect the water quality of groundwater in the District and shall comply with the District's water quality rules and take no action that pollutes or contributes to the pollution of groundwater in the District.

18 Transfers and Amendments

Permittee may transfer or amend this permit only in compliance with the District's rules.

19 Permit Review, Renewal or Extension Conditions

Permittee is subject to any review, renewal or extension conditions stated in the permit or the District's rules.

20 Change of Name, Address or Telephone Number

Permittee shall provide written notice to the District of any change of ownership, name of Permittee or the authorized representative, well operator, mailing address or telephone number within 30 days of such change.

21 Inspections by District

Any authorized officer, employee, agent or representative of the District shall have the right at all reasonable times to enter upon lands upon which a well may be located within the boundaries of the District, including the well(s) identified in Paragraph 6 of this permit, for the purpose of inspecting or testing such wells, meters, pumps and the power units of a well or wells, collecting water samples, and making any other reasonable and necessary inspections and tests that may be required or necessary for the formulation or the enforcement of the permits, rules or orders of the District. Permittee has a duty to ensure that the well site is accessible to District representatives for inspection and to cooperate fully in any reasonable inspection of the well(s) and well site by District representatives.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

22 Additional Conditions

This permit is issued subject to the requirements of: (1) Chapter 8821, Texas Special District Local Laws Code; (2) Chapter 36, Texas Water Code, as may be amended; and (3) the District's Rules, as may be amended.

23 Enforcement

The District retains the right to take any and all enforcement actions within its legal authority to enforce compliance with the terms and conditions of this permit.

24 Continuing Jurisdiction of District

This permit is issued subject to the continuing jurisdiction of and supervision by the District, and may be amended from time to time consistent with applicable law, including if the District learns that any of the information set forth in this permit is incorrect on the date issued.

25 Permit Recordation

Within 30 days of the date of issuance of this approved permit from the District, Permittee shall record this permit with the County Clerk of every county in which the well(s) or place of use are located and provide a copy of the recorded permit to the District.

26 References to Law


Any reference in this permit to a statute, rule, or other law of any kind, that exists on the date of issuance of the permit includes all subsequent amendments and additions thereto.

27 Other Matters Denied

All other matters requested in Permittee's application that are not specifically granted by this permit are denied.


**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

THIS PERMIT IS ISSUED, EXECUTED THIS 30 day of June, 2010, by the Board of Directors of the Southern Trinity Groundwater Conservation District.



Rodney Kroll,
President, Board of Directors

ATTEST:




Glen Thurman
Secretary, Board of Directors

ACKNOWLEDGMENT

STATE OF TEXAS)

COUNTY OF MCLENNAN)

ON BEHALF OF THE DISTRICT, THIS PERMIT WAS ACKNOWLEDGED before me on June 30, 2010, by Rodney Kroll, President, Board of Directors, Southern Trinity Groundwater Conservation District, a groundwater conservation district created pursuant to Article XVI, Section 59, Texas Constitution.



Notary Public in and for the State of Texas

AFTER RECORDING RETURN TO:

Tricia Law, General Manager
Southern Trinity Groundwater Conservation District
P. O. Box 2205
420 North 6th Street
Waco, Texas 76703



FILED AND RECORDED
OFFICIAL PUBLIC RECORDS

J.A. Andy Harwell

July 06, 2010 08:24:44 AM

2010020312

FEE: \$27.00

J.A. "Andy" Harwell County Clerk
McLennan County TEXAS

June 14, 2010

I, Robert E. Cervantes have received, from the Southern Trinity Groundwater Conservation District, the Technical Review Summary, Notice of Hearing and Draft of Proposed Historic Use Production Permit.

Robert E. Cervantes
City of Robinson

**Southern Trinity Groundwater Conservation District
P. O. Box 2205
Waco, Texas 76703**

Phone 254 759-5610 Fax 254 754-9480 e-mail southerntrinitygcd@att.net

**Notice of Administrative Completeness for
For Historic Use Production Permit (HUPP) Application, Technical Summary, and
General Manager's Proposed Action on Historic Use Production Permit Application**

City of Robinson
111 W. Lyndale
Robinson, Texas, 76706

RE: HUPP Application No. HUPP-2010-003

Please be advised that the Southern Trinity Groundwater Conservation District (the "District") received your Historic Use Production Permit Application. Pursuant to §9.207 of the District's Rules, the District's general manager has reviewed your application and has determined that the application is administratively complete. The general manager has conducted a technical review of the application and will recommend to the District's Board of Directors that it consider issuing the Historical Use Production Permit for an annual production of groundwater not to exceed 1417.933 Acre-Feet (462,035,000 Gallons). Attached to this letter is a copy of the Technical Summary, the proposed draft permit, and notice of the permit hearing date and location.

Also attached to this letter is a list of names, if any were found by the District, of well owners that may own a well or wells in the Trinity Aquifer that are located within ½ mile radius of the well or wells that you listed in your HUPP application. This list may not be complete, but Rule §9.219(e) requires that you provide by first class mail a copy of the hearing notice to any owner of a well within ½ mile radius of the well or wells that you listed in your HUPP application. The notice(s) must be mailed at least 10 days prior to your hearing date. You are also required to provide to the District, prior to your hearing date, a list of all well owners that were mailed the notice.

If you have any questions concerning this matter, please call me at (254) 759-5610. Please keep this letter as a permanent record for your file.

Sincerely,



Tricia K. Law, General Manager
Southern Trinity Groundwater Conservation District

- Attachments:
- 1) Technical Summary
 - 2) Notice of Hearing
 - 3) Draft of Proposed Historic Use Production Permit
 - 4) List of Adjacent Well Owner's Names

Technical Review Summary

Well Owner: City of Robinson,
111 W. Lyndale,
Robinson, Texas, 76706

Application Summary:

Aquifer: Trinity

Annual production of groundwater not to exceed: 1417.933 Acre-Feet (462,035,000 Gallons)

Year of Maximum Historic Use: 2006

Location of Each Point of Withdrawal:

Latitude/Longitude (NAD83):

N31D 27M 07S / W97D 06M 52S

N31D 29M 10S / W97D 08M 29S

N31D 27M 41S / W97D 08M 30S

N31D 29M 48S / W97D 06M 45S

N31D 28M 28S / W97D 06M 40S

Reasons and Technical Basis for Recommended Action

The applicant submitted documentation other information that, in the opinion of the General Manager, reasonably showed evidence of Historical Use Production from the Trinity Aquifer of 1417.933 Acre-Feet (462,035,000 Gallons) during the calendar year of 2006.

Proposed Purpose of Use

All groundwater produced under the proposed permit is restricted to Municipal Use within the Applicant's Water Service Area as defined by the Applicant's Certificate of Convenience and Necessity P0785 issued by the Texas Commission on Environmental Quality.

General Manager May Modify Recommendations or Request Additional Information

The General Manager of the District may at anytime modify her recommendations to the Board of Directors regarding the proposed permit or this technical summary or request additional information from the applicant.

Request for Contested Case Hearing

HUPP applicants or affected persons may file a written request for a contested case hearing on the proposed HUPPs with the District by no later than June 25, 2010 at 10:30 a.m. If no timely requests for contested case hearing are filed, the applications will be presented to the District on the date of the hearing for final action.

**NOTICE OF PROPOSED HISTORIC USE PRODUCTION PERMITS
AND PUBLIC HEARING**

The Southern Trinity Groundwater Conservation District ("District") proposes action on applications for Historic Use Production Permits ("HUPPs"), which would authorize the permittees to withdraw groundwater from the Trinity Aquifer according to the terms and conditions set forth in the permits. A copy of the general manager's proposed action, the proposed HUPPs and technical summaries are available for public inspection at the District's offices at 420 North 6th Street, Waco, Texas during regular business hours.

The District will conduct a public hearing pursuant to its authority under Chapter 8821 of the Texas Special District Local Laws Code, Chapter 36 of the Texas Water Code and the District's rules, to consider issuance of the proposed HUPPs and to provide interested members of the public the opportunity to appear and provide oral or written comments to the District regarding the proposed permits at the following date, time and place:

Date: Wednesday June 30, 2010
Time: 10:30 a.m.
Location: City of Woodway, City Council Chambers
922 Estates Drive
Woodway, Texas

HUPPs are proposed to be granted to the following entities as follows:

City of Woodway, 922 Estates Drive, Woodway, Texas, 76712 filed an application on 4/7/2010. The proposed HUPP has a maximum annual withdrawal from the Trinity Aquifer of 2,038.393 Acre-Feet (666,250,800 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 30M 11S / W97D 13M 41S, N31D 30M 11S / W97D 13M 41S, N31D 29M 30S / W97D 13M 45S, N31D 30M 34S / W97D 11M 16S, N31D 29M 36S / W97D 14M 25S, N31D 30M 18S / W97D 11M 41S.

City of Robinson, 111 W. Lyndale, Robinson, Texas, 76706 filed an application on 3/22/2010. The proposed HUPP has a maximum annual withdrawal from the Trinity Aquifer of 1417.933 Acre-Feet (462,035,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 27M 07S / W97D 06M 52S, N31D 29M 10S / W97D 08M 29S, N31D 27M 41S / W97D 08M 30S, N31D 29M 48S / W97D 06M 45S, N31D 28M 28S / W97D 06M 40S.

Bold Springs Water Supply Corporation, 4546 Cottonwood Rd., West, Texas, 76621 filed an application on 4/2/2010. The proposed HUPP has a maximum annual withdrawal from the Trinity Aquifer of 237.977 Acre-Feet (77,545,200 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 46M 18S / W97D 08M 11S, N31D 47M 19S / W97D 07M 39S, N31D 46M 15S / W97D 08M 10S, N31D 47M 49S / W97D 07M 20S.


West Brazos Water Supply Corporation, 7025 Sanger Ave, Waco, Texas, 76710 filed an application on 4/19/2010. The proposed HUPP has a maximum annual withdrawal from the

Trinity Aquifer of 111.803 Acre-Feet (36,431,000 Gallons) for municipal use pumped from a well located at the following latitude/longitude (NAD83):N31D 25M 14S / W97D 03M 41S,.

Chalk Bluff Water Supply Corporation, 6511 Gholson Rd., Waco, Texas, 76705 filed an application on 4/26/2010. The proposed HUPP has a maximum annual withdrawal from the Trinity Aquifer of 400.655 Acre-Feet (130,553,900 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 38M 23S / W97D 08M 03S, N31 39M 07S / W97D 08M 41S, N31D 40M 13S / W97D 08M 45S.

HUPP applicants or affected persons may file a written request for a contested case hearing on the proposed HUPPs with the District by no later than June 25, 2010 at 10:30 a.m. If no timely requests for contested case hearing are filed, the applications will be presented to the District on the date of the hearing for final action.

ISSUED THIS 9th DAY OF June 2010.



Tricia K. Law, General Manager
Southern Trinity Groundwater Conservation District

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

HISTORIC USE PRODUCTION PERMIT

THIS CERTIFIES THAT: City of Robinson
111 W. Lyndale
Robinson, Texas 76706
Phone: 254-662-5140

(the "Permittee"), has applied for an Historic Use Production Permit to withdraw and place to beneficial use groundwater from within the District, and that the Board of Directors of the Southern Trinity Groundwater Conservation District ("District") has APPROVED the application as follows:

1 Permit Category

This permit is a **Historic Use Production Permit**.

2 Permit Term

The term of this permit is **perpetual**.

3 Groundwater Source

The source of groundwater is the **Trinity Aquifer**.

4 Annual Groundwater Withdrawal Amounts

Permittee may withdraw groundwater from the Trinity Aquifer for beneficial, nonwasteful use in a manner not to exceed the following volume: **1417.933 Acre-Foot (462,035,000 Gallons) per calendar year**. This groundwater withdrawal amount has been calculated pursuant to Section 5.211 of the District's rules. It may be subject to proportional adjustment pursuant to Chapter 5, Subchapter B of the District's rules, as may be amended.

5 Purpose of Use

Permittee may use Trinity Aquifer groundwater only for **municipal purposes**.

6 Well Name(s), Location(s), and Maximum Rate of Withdrawal

Groundwater may only be withdrawn from the aquifer from a well(s) located at each of the location(s) and with a maximum rate of withdrawal(s) (flow rate) as follows:

| <u>Name</u> | <u>Location (latitude/longitude)</u> | <u>Maximum Flow Rate</u> |
|-------------|--------------------------------------|--------------------------|
| Well # 3 | N31D 27M 07S / W97D 06M 52S | 185 gpm |
| Well # 7 | N31D 29M 10S / W97D 08M 29S | 285 gpm |
| Well # 8 | N31D 27M 41S / W97D 08M 30S | 420 gpm |

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

| | | |
|-----------|-----------------------------|---------|
| Well # 9 | N31D 29M 48S / W97D 06M 45S | 400 gpm |
| Well # 10 | N31D 28M 28S / W97D 06M 40S | 400 gpm |

7 Measurement of Amount of Groundwater Withdrawn

Permittee may only withdraw groundwater from a well that has an operating flow meter that meets the requirements of Chapter 8 of the District's rules.

8 Place of Use

Permittee may beneficially use Aquifer groundwater only within the Permittee's wholesale or retail water service area identified in the Certificate of Convenience and Necessity P0785, filed with the Texas Commission on Environmental Quality. Except as provided by 5.401(b) of the District's rules, as may be amended, if the place of use is not within the District's boundaries, Permittee must obtain a groundwater exportation permit from the District prior to the withdrawal of groundwater under the permit.

9 Well Construction, Operation, Maintenance, Closure

The well(s) identified in this permit shall be installed, equipped, operated, maintained, plugged, capped, or closed, as may be appropriate in accordance with the District's rules and all other applicable federal, state, and local laws, including by submitting a copy of a state plugging report to the District within 60 days after capping or plugging any well.

10 Water Conservation

Withdrawals of groundwater are required to be efficiently withdrawn and used in compliance with the District's rules and the District's water conservation plan, as may be amended, and Permittee's plan as approved by the District, as may be applicable.

11 Conveyance to Place of Use

Water authorized by this permit to be produced must be conveyed to the place of use in a manner to prevent evaporation, channel loss by percolation, or waste. Water conveyed greater than a distance of one-half mile from the wellhead where produced must be conveyed through a pipeline.

12 Meters; Alternative Measuring Method

Permittee shall install, operate and maintain the meter or alternative measuring method on the well(s) identified in this permit in compliance with the District's rules and the manufacturer's instructions.

13 Reports

Permittee shall timely file all applicable reports with the District on forms prescribed by the District as required by the District's rules, as may be amended, and other applicable law.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

14 Fees

Permittee shall timely pay and remain current on the payment of all applicable fees to the District.

15 Interruption, Suspension, or Other Limitations Due to Drought

Permittee shall reduce water supply and consumption during times of drought in accordance with the District's rules and the District's management plan and Permittee's plan approved by the District, as applicable.

16 Groundwater Management Plan

Permittee shall withdraw and use groundwater only in accordance with the District's approved groundwater management plan, as may be amended.

17 Water Quality

Permittee shall use diligence to protect the water quality of groundwater in the District and shall comply with the District's water quality rules and take no action that pollutes or contributes to the pollution of groundwater in the District.

18 Transfers and Amendments

Permittee may transfer or amend this permit only in compliance with the District's rules.

19 Permit Review, Renewal or Extension Conditions

Permittee is subject to any review, renewal or extension conditions stated in the permit or the District's rules.

20 Change of Name, Address or Telephone Number

Permittee shall provide written notice to the District of any change of ownership, name of Permittee or the authorized representative, well operator, mailing address or telephone number within 30 days of such change.

21 Inspections by District

Any authorized officer, employee, agent or representative of the District shall have the right at all reasonable times to enter upon lands upon which a well may be located within the boundaries of the District, including the well(s) identified in Paragraph 6 of this permit, for the purpose of inspecting or testing such wells, meters, pumps and the power units of a well or wells, collecting water samples, and making any other reasonable and necessary inspections and tests that may be required or necessary for the formulation or the enforcement of the permits, rules or orders of the District. Permittee has a duty to ensure that the well site is accessible to District representatives for inspection and to cooperate fully in any reasonable inspection of the well(s) and well site by District representatives.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

22 Additional Conditions

This permit is issued subject to the requirements of: (1) Chapter 8821, Texas Special District Local Laws Code; (2) Chapter 36, Texas Water Code, as may be amended; and (3) the District's Rules, as may be amended.

23 Enforcement

The District retains the right to take any and all enforcement actions within its legal authority to enforce compliance with the terms and conditions of this permit.

24 Continuing Jurisdiction of District

This permit is issued subject to the continuing jurisdiction of and supervision by the District, and may be amended from time to time consistent with applicable law, including if the District learns that any of the information set forth in this permit is incorrect on the date issued.

25 Permit Recordation

Within 30 days of the date of issuance of this approved permit from the District, Permittee shall record this permit with the County Clerk of every county in which the well(s) or place of use are located and provide a copy of the recorded permit to the District.

26 References to Law

Any reference in this permit to a statute, rule, or other law of any kind, that exists on the date of issuance of the permit includes all subsequent amendments and additions thereto.

27 Other Matters Denied

All other matters requested in Permittee's application that are not specifically granted by this permit are denied.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

THIS PERMIT IS ISSUED, EXECUTED THIS 30 day of June, 2010, by the Board of Directors of the Southern Trinity Groundwater Conservation District.

Rodney Kroll,
President, Board of Directors

ATTEST:

Glen Thurman
Secretary, Board of Directors

ACKNOWLEDGMENT

STATE OF TEXAS)
COUNTY OF MCLENNAN)

ON BEHALF OF THE DISTRICT, THIS PERMIT WAS ACKNOWLEDGED before me on June 30, 2010, by Rodney Kroll, President, Board of Directors, Southern Trinity Groundwater Conservation District, a groundwater conservation district created pursuant to Article XVI, Section 59, Texas Constitution.

Notary Public in and for the State of Texas

AFTER RECORDING RETURN TO:

Tricia Law, General Manager
Southern Trinity Groundwater Conservation District
P. O. Box 2205
420 North 6th Street
Waco, Texas 76703

| TWDB Well No | System Name | Well Owner | Distance(ft) | TWDB Well No |
|--------------|------------------|--------------------|--------------|--------------|
| 4039301 | City of Robinson | City of Hewitt | 1188 | 4039205 |
| 4039301 | City of Robinson | Waco Memorial Park | 1498 | 4039302 |
| 4039304 | City of Robinson | Waco Memorial Park | 2418 | 4039302 |
| 4039306 | City of Robinson | Waco Memorial Park | 2578 | 4039302 |

SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT

P. O. Box 2205
 420 North 6th Street
 Waco, Texas 76703

Phone: (254) 759-5610 southerntrinitygcd@att.net

APPLICATION FOR HISTORIC USE PRODUCTION PERMIT

Part A – General Information

Instructions: Please type or print legibly. Incomplete applications will not be accepted. Application Fee Required: A non-refundable application fee of \$1,000 must accompany this application. Only checks or money orders made payable to “Southern Trinity Groundwater Conservation District” will be accepted. CASH IS NOT ACCEPTED.

| | | | |
|---|---|--|--------------------------------------|
| 1. Applicant Information | <input type="checkbox"/> Individual | <input type="checkbox"/> Partnership | <input type="checkbox"/> Corporation |
| | <input checked="" type="checkbox"/> Government Entity | <input type="checkbox"/> Estate/Trust/Guardianship | |
| Permit Applicant's Name: City of Robinson | | | |
| Physical Address: 111 W. Lyndale | | | |
| City: Robinson | State: TX | Zip Code: 76706 | |
| Mailing Address, (if different): Same | | | |
| City: | State: | Zip Code: | |
| Daytime Telephone Number: Fax: 254-662-4481 | | | |
| Email Address (if any): ghwater@sbcglobal.net | | | |
| 2. Name of Authorized Agent (if any): Robert E. Cervenka | | | |
| Position: City Manager | | | |
| Physical Address: 111 W. Lyndale | | | |
| City: Robinson | State: TX | Zip Code: 76706 | |
| Mailing Address (if different): Same | | | |
| City: | State: | Zip Code: | |
| Daytime Telephone Numbers of Authorized Agent: 254-662-5140 Fax: 254-662-1035 | | | |
| Email for Authorized Agent (if any): r.cervenka@robinson-texas.org | | | |
| Date Application Received: <u>MAR 22 2010</u> | Date Admin. Fee Received: <u>MAR 22 2010</u> | | Amount of Fee: <u>\$1,000</u> |

RECEIVED
 For District Use Only
 BY: TK
 MAR 22 2010

X

Historic Groundwater Use and Production Information.

3. Purpose of Historic Use: The purpose(s) for which the groundwater was used during the Historic Use Period. Irrigation Municipal Industrial
 Other (If Other, describe specifically):

4. Purpose of Future Use: Same

5. Is the place of use within the District boundaries: Yes No

6. If you answered No to Item 5, has a groundwater exportation permit been applied for or obtained from the District or is there a groundwater export agreement or contract in effect prior to January 7, 2010? Yes No

7. If you answered Yes to Item 6, please describe the parties to the agreement, the location outside of the District that the water is used, the amount use, and pipeline route.

8. Completely describe the place of use of groundwater withdrawn from the well:
Municipal

9. If groundwater was withdrawn from the well or placed to a beneficial use by a contract user or predecessor in interest, then provide the name, address, and telephone number of each contract user or predecessor in interest, and provide copies of the legal documents establishing the legal right of the contract user or predecessor in interest to withdraw and/or place groundwater from the well to beneficial use.

N/A

10. If applicable, provide a copy of the map identifying the boundaries of the applicant's Certificate of Convenience and Necessity (CCN).

11. If applicable, describe the number of connections to be serviced by the well: 4200

12. Maximum Historic Use. State the amount of water that you claim as your Maximum Historic Use during any one year of the Historic Use Period. Maximum Historic Use means the maximum amount of groundwater that an applicant for a Historic Use Production Permit proves was produced and beneficially used without waste from the applicant's non-exempt well during any one calendar year of the Historic Use Period.
Amount: 462,035,000 Units: Gallons Year: 2006

13. Provide your use amounts for each year groundwater was withdrawn during the Historical Use Period. If no groundwater was withdrawn for a period listed below, place a zero (0) in the appropriate space (typical units are in gallons, 100 gallons, 1000 gallons, or acre-feet).

| | | |
|------|---------------------|----------------|
| 2009 | Amount: 419,037,000 | Units: Gallons |
| 2008 | Amount: 450,380,000 | Units: Gallons |
| 2007 | Amount: 415,528,000 | Units: Gallons |
| 2006 | Amount: 462,035,000 | Units: Gallons |
| 2005 | Amount: 413,519,000 | Units: Gallons |
| 2004 | Amount: 329,655,000 | Units: Gallons |
| 2003 | Amount: 364,048,000 | Units: Gallons |
| 2002 | Amount: 383,944,000 | Units: Gallons |
| 2001 | Amount: 357,827,000 | Units: Gallons |
| 2000 | Amount: 339,788,100 | Units: Gallons |

14. Attach documents to substantiate your claim of Maximum Historic Use.

Documentation may include, but is not limited to: production logs showing amount of water pumped, copies of reports to the Texas Commission on Environmental Quality, the Texas Water Development Board, or the Texas Department of Health; reports filed with or created by the Natural Resource Conservation Service or Farm Services Agency or aerial photographs; reports filled with or created by soil and water conservation districts; fuel and electricity use records; and calculations used to estimate well discharge rates if the well discharge is not metered. The purpose of supporting documentation is to substantiate your declaration. The information you provide should be labeled, indexed and in a form that can be easily reviewed by the District.

15. Will the proposed use of water unreasonably affect existing groundwater and surface water resources or existing permit holders? Yes No

16. Is the proposed use of water dedicated to a beneficial use? Yes No

17. Is the proposed use of water consistent with the District's management plan? Yes No

**STATEMENT OF COMPLIANCE WITH DISTRICT GROUNDWATER
MANAGEMENT PLAN, DISTRICT RULES, AND COMMITMENT TO WATER
CONSERVATION AND WATER QUALITY PROTECTION**

Please check all that apply:

- Applicant will comply with the District's Groundwater Management Plan.
- Applicant is in compliance with all applicable District rules in effect since December 7, 2007 and will comply with the District's rules.
- Applicant agrees to avoid waste and achieve water conservation.
- Applicant agrees to use reasonable diligence to protect groundwater quality and will follow the District's well plugging guidelines at the time of well closure.
- Applicant affirms that activities constituting the purpose of use for which the groundwater will be beneficially used will be managed to preserve, protect, prevent the pollution, degradation, or harmful alteration of, control and prevent the waste of, prevent the escape of groundwater from, and achieve the conservation of groundwater in and produced from, the aquifer.

CERTIFICATION†

I, the undersigned applicant, subscribe and affirm that the information provided herein is true and correct. I also understand that it shall be considered to be a fraud upon the District for any applicant to knowingly give erroneous information in this application.

Signed: Robert E. Cervantes Date: 3-17-2010
 Printed Name: Robert E. Cervantes Title: City Manager

† If the applicant is an individual, the application shall be signed by the applicant or a duly appointed agent. An agent shall provide written evidence of his or her authority to represent the applicant. If the applicant is an individual doing business under an assumed name, the applicant shall attach to the application an assumed name certificate filed with the county clerk of the county in which the principal place of business is located or with the Texas Secretary of State.

A joint application shall be signed by each applicant or each applicant's duly authorized agent with written evidence of such agency submitted with the application. If a well or proposed well is owned by both husband and wife, each person shall sign the application. Joint applicants shall select one among them to act for and represent the others in pursuing the application with the District with written evidence of such representation to be submitted with the application.

If the application is by a partnership, the application shall be signed by one of the general partners. If the applicant is a partnership doing business under an assumed name, the applicant shall attach to the application an assumed name certificate filed with the county clerk of the county in which the principal place of business is located or with the Texas Secretary of State. The name of the partnership must be followed by the words "a partnership." If the applicant is an estate or guardianship, the application shall be signed by the duly appointed guardian or representative of the estate and a current copy of the letters testamentary issued by the court shall be attached to the application.

If the applicant is a corporation, public district, county, municipality or other corporate entity, the application shall be signed by a duly authorized official. Written evidence in the form of bylaws, charters, or resolutions specifying the authority of the official to take such action shall be submitted along with the application. A corporation may file a corporate affidavit as evidence of a corporate official's authority to sign.


If the applicant is acting as trustee for another, the applicant shall sign as trustee and in the application shall disclose the nature of the trust agreement and give the name and current address of each trust beneficiary. The application must designate the trustee's name followed by the word "trustee," and the name of the trust for which the trustee is acting.

City of Robinson

Well # 3

STGWCD- HUPP Application - Part B – Well Information (one form per well)

| | | | |
|--|------------|----------------------|------------------|
| 1. Applicant Name: City of Robinson | | | |
| 2. Well Identifier or Well Name: Well #3 | | | |
| 3. System Name: City of Robinson | | | |
| 4. TCEQ System ID Number: 1550010 | | | |
| 5. If applicable, please attach a copy of the applicant's most recent water conservation plan and drought contingency plan prepared for TCEQ. | | | |
| 6. TWDB ID Number: 40-40-401 | | | |
| 7. Aquifer(s) or formations in which the well is screened: 217HSTN | | | |
| 8. Address of the property upon which the well is located: 221 Greenbriar | | | |
| 9. Well Location: | Latitude: | 31 D | 27 M 07 S |
| | Longitude: | -97 D | 06 M 52 S |
| 10. Identify any surface water, including lakes or rivers within 1,000 feet of the well: N/A | | | |
| 11. Well or Driller's Log. Please attach a copy of the State Well Report and, if available, any geophysical logs for the well. | | | |
| 12. Please attach a photograph of the well taken approximately 100 feet from the well. | | | |
| 13. Please attach a copy of a recorded deed or other legal document verifying the applicant's ownership of the well. Disregard this requirement if the deed was sent with your Application for Interim Production Status and there has been no change. | | | |
| 14. Year well drilled: 1961 Year well completed and operational: 1961 | | | |
| 15. Pump Information: Pump Make and Model: Gould 16 stage | | | |
| Pump power source: <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Diesel <input type="checkbox"/> Natural Gas <input type="checkbox"/> Other | | | |
| Casing Material <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC | | | |
| Size of well casing: 8 5/8" inches Inside diameter of column pipe: 3 inches | | | |
| 16. The maximum rate at which water can be withdrawn from the well: 185 gpm | | | |
| 17. Flow Meter Make and Model: Water Specialties Propeller ML-03 | | | |
| Serial Number: 20091077 | | Meter Units: gallons | |
| Meter reading end of 2008: Amount: 24221300 | | Units: gallons | Date: 12/31/2008 |
| Meter reading end of 2009: Amount: 34832400 | | Units: gallons | Date: 12/31/2009 |



City of Robinson's Well # 3

TEXAS WATER DEVELOPMENT BOARD
WELL SCHEDULE

Aquifer Houston

Field No. TS-ST-4#32 (E-log) State Well No. 4040401
Owner's Well No. O'Dowd #3 County Kilmer
Robinson W.W.P.

1. Location: 1/4, 1/4 Sec. Block Survey

in corner addition on Greenbriar Dr

2. Owner: Robinson Water Co. #3 Address: Robinson, Texas

Tenant: Address:

Driller: J.L. Myers Sons Address: Dallas, Texas

3. Elevation of LSD is 460 ft. above sea, determined by Topo

4. Drilled: June 1961; Dug, Cable Tool, (Rotary)

5. Depth: Rept. 2500 ft. Meas. ft.

6. Completion: Open Hole, (Straight Wall) Underreamed, Gravel Packed Cemented

7. Pump: Mfr. Type Submersible

No. Stages , Bore Dia. in., Setting ft.

Column Dia. in., Length Tailpipe ft.

8. Motor: Fuel elect Make & Model HP. 15

9. Yield: Flow gpm, Pump 250 gpm, Meas. (Rept.) Est.

10. Performance Test: Date 6-6-62 Length of Test Made by

Static Level 50 ft. Pumping Level 90 ft. Drawdown 40 ft.

Production 250 gpm Specific Capacity gpm/ft.

11. Water Level: 50 ft. Rept. 3-1-1966 above LSD which is ft. above surface.

86.74 ft. Rept. 3-1-1966 above hole intap of csg. & conc. base which is 219 ft. above surface.

50 ft. rept. 6-1962 below LSD which is 0 ft. below surface.

62.32 ft. rept. 4-20-1967 below " " which is 220 ft. above surface.

12. Use: Dom., Stock, (Public Supply) Ind., Irr., Waterflooding, Observation, Not Used.

13. Quality: (Remarks on taste, odor, color, etc.)

Temp. "E", Date sampled for analysis Laboratory

Temp. "E", Date sampled for analysis Laboratory

Temp. "E", Date sampled for analysis Laboratory

14. Other data available as circled: (Drilling Log, Radioactivity Log, Electric Log, Formation Samples, Pumping Test, TS-ST-4#32)

15. Record by: D. Thompson Date 3-1-1966

Source of Data d-log & A.R. Smith

16. Remarks:


| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

| CASINO & BLANK PIPE | | | |
|---------------------|------|--------------|-------|
| Diam. (in.) | Type | Setting, ft. | |
| | | from | to |
| 12" | OD | 0' | 43' |
| 8 5/8" | OD | 0' | 523' |
| 7" | OD | 523' | 2270' |

| WELL SCREEN | | | |
|-----------------------------------|------|--------------|------|
| Screen Openings <u>Perforated</u> | | | |
| Diam. (in.) | Type | Setting, ft. | |
| | | from | to |
| 7" | OD | 2270 | 2500 |

The above taken from A.R. Smith's notes.

other



97°00 (E) 6.65 mi
31°30 (N) 3.5 mi
Q-86
SC# obs well
4040401 ✓

Driller's Log

| | |
|--------------|-------------|
| Surface soil | 0 - 40 |
| Shale | 40 - 331 |
| Chalk rock | 331 - 420 |
| Shale | 420 - 850 |
| Lime | 850 - 1337 |
| Broken lime | 1337 - 1462 |
| Lime | 1462 - 1597 |
| Broken lime | 1597 - 1938 |
| Shale & sand | 1938 - 2185 |
| Sand | 2185 - 2215 |
| Broken sand | 2215 - 2415 |
| Red bed | 2415 - 2425 |
| Sand | 2425 - 2470 |
| Red bed | 2470 - 2500 |

70-40-401

RECEIVED

OCT 26 1961

STATE BOARD OF WATER ENGINEERS
AUSTIN, TEXAS

ST-40-40-401

J. L. MYERS' SONS
DALLAS DENTON

DRILLER'S LOG

WELL OWNER: E. H. O'DOWD - ROBINSON WATER CORP.
WELL LOCATION: ROBINSON, TEXAS - *McLennan County*
WELL DRILLED BY: J. L. Myers' Sons Dallas and Denton
WELL COMPLETED: June, 1961 DRILLER: K. D. Watson; D. P. Nelson;
and W. Y. Johnson

| DEPTH OF STRATA | EACH STRATUM | FORMATION |
|-----------------|--------------|---------------|
| 0-40 | 40 | Surface Soils |
| 40-331 | 291 | Shale |
| 331-420 | 89 | Chalk Rock |
| 420-850 | 430 | Shale |
| 850-1337 | 487 | Lime |
| 1337-1462 | 125 | Broken Lime |
| 1462-1597 | 135 | Lime |
| 1597-1938 | 341 | Broken Lime |
| 1938-2185 | 247 | Shale & Sand |
| 2185-2215 | 30 | Sand |
| 2215-2415 | 200 | Broken Sand |
| 2415-2425 | 10 | Red Bed |
| 2425-2470 | 45 | Sand |
| 2470-2500 | 30 | Red Bed |

CASING RECORD:

43' - 12" Surface pipe cemented in place with 25 sacks of cement
523' - 8-5/8" O.D. 28# T & C used casing
1747' - 7" O.D. 24# T & C used casing
230' - 7" O.D. 24# T & C perforated used casing set opposite sand

NOTE: Total pipe run in one continuous length and cemented in place by Halliburton Company using 400 sacks cement.

NOTE: All measurements from rotary table 7" above ground.

that piece or parcel of land, situated, lying and being in the County of McLennan

State of Texas and described as follows:
the County of McLennan

State of Texas

all that certain

piece or parcel of land situated in the City of Robinson, and same being Lot Ten (10), in Block "A" of the Conner Addition, part Two (2), to the City of Robinson, McLennan County, Texas. It being the intention of the grantor to convey all the land between the East Line of the tract on which Thomas Roy lives, to the West line of Lot 9. The present fence line of Thomas Roy is the agreed boundary line between lot 10 and lot 11. And the land between the East Fence line to the West line of Lot 10 is hereby conveyed the said Lot 10 fronts County Road and Hillside Drive.

The same being the property conveyed to Everett H. O'Dowd by Thomas Roy as recorded in Vol. 1154, page 490 in the McLennan County Deed Records on August 17, 1973.

City of Robinson

Well # 7

STGWCD- HUPP Application - Part B – Well Information (one form per well)

| | | | |
|--|------------|---|------------------|
| 1. Applicant Name: City of Robinson | | | |
| 2. Well Identifier or Well Name: Well #7 | | | |
| 3. System Name: City of Robinson | | | |
| 4. TCEQ System ID Number: 1550010 | | | |
| 5. If applicable, please attach a copy of the applicant's most recent water conservation plan and drought contingency plan prepared for TCEQ. | | | |
| 6. TWDB ID Number: 40-39-306 | | | |
| 7. Aquifer(s) or formations in which the well is screened: 217HSTN | | | |
| 8. Address of the property upon which the well is located: 920 Elizabeth St. | | | |
| 9. Well Location: | Latitude: | 31 D | 29 M 10 S |
| | Longitude: | -97 D | 08 M 29 S |
| 10. Identify any surface water, including lakes or rivers within 1,000 feet of the well: N/A | | | |
| 11. Well or Driller's Log. Please attach a copy of the State Well Report and, if available, any geophysical logs for the well. | | | |
| 12. Please attach a photograph of the well taken approximately 100 feet from the well. | | | |
| 13. Please attach a copy of a recorded deed or other legal document verifying the applicant's ownership of the well. Disregard this requirement if the deed was sent with your Application for Interim Production Status and there has been no change. | | | |
| 14. Year well drilled: 1972 Year well completed and operational: 1972 | | | |
| 15. Pump Information: Pump Make and Model: Crown 6M250 | | | |
| Pump power source: <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Diesel <input type="checkbox"/> Natural Gas <input type="checkbox"/> Other | | | |
| Casing Material <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC | | | |
| Size of well casing: 10" inches | | Inside diameter of column pipe: 4 1/2" inches | |
| 16. The maximum rate at which water can be withdrawn from the well: 285 gpm | | | |
| 17. Flow Meter Make and Model: Water Specialties Propeller ML-03 | | | |
| Serial Number: 20090799 | | Meter Units: gallons | |
| Meter reading end of 2008: Amount: 118545400 | | Units: gallons | Date: 12/31/2008 |
| Meter reading end of 2009: Amount: 31138200 | | Units: gallons | Date: 12/31/2009 |



City of Robinson's Well # 7

City of Robinson

Well # 8

STGWCD- HUPP Application - Part B – Well Information (one form per well)


| | | | |
|--|------------|---|------------------|
| 1. Applicant Name: City of Robinson | | | |
| 2. Well Identifier or Well Name: Well #8 | | | |
| 3. System Name: City of Robinson | | | |
| 4. TCEQ System ID Number: 1550010 | | | |
| 5. If applicable, please attach a copy of the applicant's most recent water conservation plan and drought contingency plan prepared for TCEQ. | | | |
| 6. TWDB ID Number: 40-39-304 | | | |
| 7. Aquifer(s) or formations in which the well is screened: 217HSTN | | | |
| 8. Address of the property upon which the well is located: Hoffmeyer Lane | | | |
| 9. Well Location: | Latitude: | 31 D | 27 M 41 S |
| | Longitude: | -97 D | 08 M 30 S |
| 10. Identify any surface water, including lakes or rivers within 1,000 feet of the well: N/A | | | |
| 11. Well or Driller's Log. Please attach a copy of the State Well Report and, if available, any geophysical logs for the well. | | | |
| 12. Please attach a photograph of the well taken approximately 100 feet from the well. | | | |
| 13. Please attach a copy of a recorded deed or other legal document verifying the applicant's ownership of the well. Disregard this requirement if the deed was sent with your Application for Interim Production Status and there has been no change. | | | |
| 14. Year well drilled: 1982 Year well completed and operational: 1982 | | | |
| 15. Pump Information: Pump Make and Model: Wolf 8LL8V-7 Stage | | | |
| Pump power source: <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Diesel <input type="checkbox"/> Natural Gas <input type="checkbox"/> Other | | | |
| Casing Material <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC | | | |
| Size of well casing: 10" inches | | Inside diameter of column pipe: 4 1/2" inches | |
| 16. The maximum rate at which water can be withdrawn from the well: 420 gpm | | | |
| 17. Flow Meter Make and Model: Butler Turbine | | | |
| Serial Number: 2300142 | | Meter Units: gallons | |
| Meter reading end of 2008: Amount: 63960600 | | Units: gallons | Date: 12/31/2008 |
| Meter reading end of 2009: Amount: 65020400 | | Units: gallons | Date: 12/31/2009 |



City of Robinson's Well # 8

CITY OF ROBINSON
WELL #8
MAY, 1982

Screen:
Manufactured by Howard Smith Co.,
Houston, Tx.
Mill Slotted 1/4" on 8" pipe



STRAIGHT WALL CONSTRUCTION

JOB NAME: Robinson Water Supply Corp.
DRILLERS: Steve Mullins, Jim Wagoner
DATE: 5/26/82

DRILLERS LOG

| DEPTH | DESCRIPTION | THICKNESS |
|---------------|--|-----------|
| 0' - 5' | Top soil (black) | 5' |
| 5' - 16' | Blue gray shale | 11' |
| 16' - 52' | Yellow shale | 36' |
| 52' - 280' | Light gray shale | 228' |
| 280' - 817' | Light gray sandy limestone with streaks of shale | 537' |
| 817' - 1150' | Lime and sand streaks | 333' |
| 1150' - 1282' | Sand shale and lime | 132' |
| 1282' - 2062' | Lime with streaks of sandy shale | 780' |
| 2067' - 2072' | Dark gray shale | 5' |
| 2072' - 2107' | Limestone with streaks of shale and sand | 35' |
| 2107' - 2169' | Shaley limestone | 62' |
| 2169' - 2189' | Red shale | 20' |
| 2189' - 2235' | Hard sandy limestone | 46' |
| 2235' - 2241' | Hard black shale, lignite, very hard | 6' |




City of Robinson

Well # 9

STGWCD- HUPP Application - Part B – Well Information (one form per well)

| | | | |
|--|------------|----------------------|------------------|
| 1. Applicant Name: City of Robinson | | | |
| 2. Well Identifier or Well Name: Well #9 | | | |
| 3. System Name: City of Robinson | | | |
| 4. TCEQ System ID Number: 1550010 | | | |
| 5. If applicable, please attach a copy of the applicant's most recent water conservation plan and drought contingency plan prepared for TCEQ. | | | |
| 6. TWDB ID Number: 40-40-104 | | | |
| 7. Aquifer(s) or formations in which the well is screened: 217HSTN | | | |
| 8. Address of the property upon which the well is located: Hillview Drive | | | |
| 9. Well Location: | Latitude: | 31 D | 29 M 48 S |
| | Longitude: | -97 D | 06 M 45 S |
| 10. Identify any surface water, including lakes or rivers within 1,000 feet of the well: N/A | | | |
| 11. Well or Driller's Log. Please attach a copy of the State Well Report and, if available, any geophysical logs for the well. | | | |
| 12. Please attach a photograph of the well taken approximately 100 feet from the well. | | | |
| 13. Please attach a copy of a recorded deed or other legal document verifying the applicant's ownership of the well. Disregard this requirement if the deed was sent with your Application for Interim Production Status and there has been no change. | | | |
| 14. Year well drilled: 1984 Year well completed and operational: 1984 | | | |
| 15. Pump Information: Pump Make and Model: Wolf 8LL8V-7 Stage | | | |
| Pump power source: <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Diesel <input type="checkbox"/> Natural Gas <input type="checkbox"/> Other | | | |
| Casing Material <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC | | | |
| Size of well casing: 10 3/4" inches Inside diameter of column pipe: 4 1/2" inches | | | |
| 16. The maximum rate at which water can be withdrawn from the well: 400 gpm | | | |
| 17. Flow Meter Make and Model: Water Specialties Propeller ML-04 | | | |
| Serial Number: 20061386 | | Meter Units: gallons | |
| Meter reading end of 2008: Amount: 75961800 | | Units: gallons | Date: 12/31/2008 |
| Meter reading end of 2009: Amount: 84623700 | | Units: gallons | Date: 12/31/2009 |



City of Robinson's Well # 9

J. L. MYERS COMPANY
NEW PUMP INSTALLATION

Owner CITY OF ROBINSON

Well No. 9 Job No. 1150-84

Date Installed 5/17/85 Date Started _____

Pump: Make Crown Size 7H-400

Stages 11-A S/N _____

Date/Code _____

Motor: Make Hitachi Size _____

HP 125 Volts 460 Amps _____

S/N _____ Code _____ Other _____

Column: Size 4" Length 814'

Check Valves 2-4"

Pick up Nipple _____

Head: Size 10"x4" Discharge _____

Cable: Size 3/0 Length _____

Airline: Size & type 1/4" POLY Length _____

Starter: Make _____ Size _____

Model No. _____

Fuse/CB _____

Heater _____

Time Delay _____

Water Level: Static _____ Pumping level _____

GPM _____ Time _____

Electrical: Voltage _____, _____, _____

Amps _____, _____, _____

Installer: T. WATSON

Remarks: _____

DRILLER'S LOG

OWNER : CITY OF ROBINSON, WELL NO. 9
 LOCATION: EAST OF HWY 77 ON HILLVIEW
 ROBINSON, MCLENNAN COUNTY, TEXAS
 DATE : FEBRUARY 1985
 DRILLERSL J. BISHOP, B. BISHOP

| DEPTH OF STRATA | | EACH STRATUM | DESCRIPTION |
|-----------------|------|--------------|-----------------------------------|
| From | To | Feet | |
| 0 | 37 | 37 | Surface soil |
| 37 | 64 | 27 | Yellow and blue gray shale |
| 64 | 94 | 30 | Blue gray, light gray shale |
| 94 | 170 | 76 | Light gray shale |
| 170 | 285 | 115 | Gummy shale |
| 285 | 325 | 40 | Shale and lime |
| 325 | 425 | 100 | Lime and shale |
| 425 | 522 | 97 | Shale and lime |
| 522 | 640 | 118 | Soft dark gray shale, little lime |
| 640 | 795 | 155 | Shale |
| 795 | 830 | 35 | Shale with lime trace |
| 830 | 915 | 85 | Dark shale and lime |
| 915 | 995 | 80 | Lime |
| 995 | 1070 | 75 | Hard lime |
| 1070 | 1153 | 83 | Lime |
| 1153 | 1209 | 56 | Hard lime |
| 1209 | 1295 | 86 | Hard and soft lime mixed |
| 1295 | 1366 | 71 | Hard lime, gray shale |
| 1366 | 1397 | 31 | Lime |
| 1397 | 1421 | 24 | Mostly hard lime, little shale |
| 1421 | 1520 | 99 | Lime |
| 1520 | 1570 | 50 | Hard lime |
| 1570 | 1710 | 140 | Lime |
| 1710 | 1758 | 48 | Hard lime, soft chalky lime |
| 1758 | 1803 | 45 | Hard lime |
| 1803 | 1852 | 49 | Lime |
| 1852 | 1880 | 28 | Hard lime |
| 1880 | 1912 | 32 | Lime and coal traces |
| 1912 | 1943 | 31 | Lime and sandy lime |
| 1943 | 1965 | 22 | Lime |
| 1965 | 2017 | 52 | Hard lime |
| 2017 | 2025 | 8 | Lime |

MATERIAL SETTING

ELECTRIC LOG

PUMP RECORD

OPERATION INSTRUCTION

CITY OF ROBINSON, WELL NO. 9

DRILLER'S LOG (CONTINUED)

| DEPTH OF STRATA | | EACH STRATUM | DESCRIPTION |
|-----------------|------|--------------|------------------------------------|
| From | To | Feet | |
| 2025 | 2085 | 60 | Sand mixed shale |
| 2085 | 2110 | 25 | Blue shale |
| 2110 | 2116 | 6 | Hard shale |
| 2116 | 2149 | 33 | Sand, sandy lime, trace shale |
| 2149 | 2160 | 11 | Shale and lime |
| 2160 | 2240 | 80 | Sand |
| 2240 | 2248 | 8 | Shale |
| 2248 | 2260 | 12 | Sand, lime and shale |
| 2260 | 2272 | 12 | Sand, shale traces of red clay |
| 2272 | 2303 | 31 | Red bed, shale, sand |
| 2303 | 2334 | 31 | Shale, clay and lime |
| 2334 | 2365 | 31 | Sand |
| 2365 | 2420 | 55 | Hard sand |
| 2420 | 2428 | 8 | Sand and sandy lime |
| 2428 | 2459 | 31 | Blue shale, gooey clay and red bed |
| 2459 | 2491 | 32 | Red bed, shale and sand |
| 2491 | 2499 | 8 | Sand, shale |
| 2499 | 2522 | 23 | Red bed, shale and sand |

J. L. MYERS COMPANY
8325 FORNEY ROAD
DALLAS, TEXAS 75227

MATERIAL SETTING

OWNER : CITY OF ROBINSON, WELL NO. 9

LOCATION: EAST OF HWY 77 ON HILLVIEW
ROBINSON, MCLENNAN COUNTY, TEXAS

DATE : FEBRUARY 1985

| FROM | TO | AMOUNT | DESCRIPTION |
|------|-------|--------|---|
| +1.5 | 2522' | 2523.5 | 10-3/4" O.D. steel casing cemented into place by Halliburton. |

CASING PERFORATED FROM

| | | |
|------|------|-----------|
| 2354 | 2408 | 635 SHOTS |
| 2422 | 2491 | 77 SHOTS |
| 2500 | 2510 | 135 SHOTS |

J. L. MYERS COMPANY
8325 FORNEY ROAD
DALLAS, TEXAS 75227

THE LAW OFFICES OF

VALENTINE, VALENTINE & DUTY

ATTORNEYS AT LAW
2309 AUSTIN AVENUE
WACO, TEXAS 76701
(817) 752-8379

F. R. VALENTINE
(1890 - 1959)

OFFICES OF

Q. Z. VALENTINE
FRANKLIN R. VALENTINE, JR.
TONY E. DUTY

August 16, 1985

City of Robinson
111 W. Lyndale
Waco, Texas 76706

In Re: 0.92 acre from
Robert and Iva Mae Hague

Gentlemen:

Enclosed herewith please find the following:

1. Original Warranty Deed recorded in Vol. 1501, Pg. 115, McLennan County Deed Records.
2. Fieldnotes, Survey by Harvey L. Jirasek, Sept. 6, 1984.
3. American Title Insurance Company Commitment for Title Insurance No. C113847-F42, Nov. 14, 1984.

With best regards, I remain

Sincerely yours,

Tony E. Duty


TED/ps
Enc.

City of Robinson

Well # 10

STGWCD- HUPP Application - Part B – Well Information (one form per well)

| | | | |
|--|------------|----------------------|------------------|
| 1. Applicant Name: City of Robinson | | | |
| 2. Well Identifier or Well Name: Well #10 | | | |
| 3. System Name: City of Robinson | | | |
| 4. TCEQ System ID Number: 1550010 | | | |
| 5. If applicable, please attach a copy of the applicant's most recent water conservation plan and drought contingency plan prepared for TCEQ. | | | |
| 6. TWDB ID Number: 40-40-105 | | | |
| 7. Aquifer(s) or formations in which the well is screened: 217HSTN | | | |
| 8. Address of the property upon which the well is located: 701 E. Shamrock | | | |
| 9. Well Location: | Latitude: | 31 D | 28 M 28 S |
| | Longitude: | -97 D | 06 M 40 S |
| 10. Identify any surface water, including lakes or rivers within 1,000 feet of the well: N/A | | | |
| 11. Well or Driller's Log. Please attach a copy of the State Well Report and, if available, any geophysical logs for the well. | | | |
| 12. Please attach a photograph of the well taken approximately 100 feet from the well. | | | |
| 13. Please attach a copy of a recorded deed or other legal document verifying the applicant's ownership of the well. Disregard this requirement if the deed was sent with your Application for Interim Production Status and there has been no change. | | | |
| 14. Year well drilled: 1987 Year well completed and operational: 1987 | | | |
| 15. Pump Information: Pump Make and Model: Wolf 8LL8V-7 Stage | | | |
| Pump power source: <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Diesel <input type="checkbox"/> Natural Gas <input type="checkbox"/> Other | | | |
| Casing Material <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC | | | |
| Size of well casing: 10 3/4" inches Inside diameter of column pipe: 4 1/2" inches | | | |
| 16. The maximum rate at which water can be withdrawn from the well: 400 gpm | | | |
| 17. Flow Meter Make and Model: Water Specialties Propeller ML-04 | | | |
| Serial Number: 20062738 | | Meter Units: gallons | |
| Meter reading end of 2008: Amount: 37790800 | | Units: gallons | Date: 12/31/2008 |
| Meter reading end of 2009: Amount: 45935800 | | Units: gallons | Date: 12/31/2009 |



City of Robinson's Well # 10

J. L. MYERS COMPANY
NEW PUMP INSTALLATION

Owner City of Robinson

Well No. 10 Job No. 1223-87

Date Installed _____ Date Started _____

Pump: Make Crown Size 7H-400

Stages 11A S/N _____

Date/Code _____

Motor: Make Hitachi Size _____

HP 125HP Volts _____ Amps _____

S/N _____ Code _____ Other _____

Column: Size 4" Length 800'

Check Valves 2 - 4"

Pick up Nipple _____

Head: Size 4" Discharge _____

Cable: Size 3/0 Length 840'

Airline: Size & type TORO Length 800'

Starter: Make _____ Size _____

Model No. _____

Fuse/CB _____

Heater _____

Time Delay _____

Water Level: Static _____ Pumping level _____

GPM _____ Time _____

Electrical: Voltage _____, _____, _____

Amps _____, _____, _____

Installer: Westbrook

Remarks: _____

DRILLER'S LOG

OWNER : CITY OF ROBINSON, WELL NO. 10
LOCATION: EAST OF HWY 77 ON SHAMROCK
ROBINSON, MCLENNAN COUNTY, TEXAS
DATE : MAY 1987
DRILLER : P. WESTBROOK

| DEPTH OF STRATA | | EACH STRATUM | DESCRIPTION |
|-----------------|------|--------------|--------------------------------|
| From | To | Feet | |
| 0 | 20 | 20 | Surface soil |
| 20 | 30 | 10 | Yellow and gray shale |
| 30 | 40 | 10 | Blue and light gray shale |
| 40 | 140 | 100 | Light gray shale |
| 140 | 335 | 195 | Sticky shale |
| 335 | 560 | 225 | Lime and shale |
| 560 | 640 | 80 | Gray shale |
| 640 | 700 | 60 | Shale with lime traces |
| 700 | 830 | 130 | Shale |
| 830 | 910 | 80 | Dark shale and lime strks |
| 910 | 970 | 60 | Lime |
| 970 | 1060 | 90 | Hard lime |
| 1060 | 1220 | 160 | Lime |
| 1220 | 1400 | 180 | Lime with soft strks |
| 1400 | 1550 | 150 | Lime, some shale |
| 1550 | 1690 | 140 | Hard lime |
| 1690 | 1710 | 20 | Shaley lime |
| 1710 | 1780 | 70 | Hard lime |
| 1780 | 1790 | 10 | Soft lime |
| 1790 | 1845 | 55 | Hard lime |
| 1845 | 1960 | 115 | Lime |
| 1960 | 1970 | 10 | Shaley lime |
| 1970 | 2080 | 110 | Hard lime |
| 2080 | 2110 | 30 | Blue shale |
| 2110 | 2130 | 20 | Hard lime |
| 2130 | 2180 | 50 | Sandy lime, trace shale |
| 2180 | 2210 | 30 | Sandy lime |
| 2210 | 2270 | 60 | Shale and lime |
| 2270 | 2300 | 30 | Shale, sand and lime |
| 2300 | 2310 | 10 | Sand, shale traces of red clay |
| 2310 | 2370 | 60 | Red bed, shale |
| 2370 | 2455 | 85 | Sand |

CITY OF ROBINSON, WELL NO. 10
DRILLER'S LOG CONTINUED

| DEPTH OF STRATA | | EACH STRATUM Feet | DESCRIPTION |
|-----------------|------|----------------------|-------------|
| From | To | | |
| 2455 | 2460 | 5 | Shale |
| 2460 | 2505 | 45 | Sand |
| 2505 | 2548 | 43 | Shale |

J. L. MYERS COMPANY
8325 FORNEY ROAD
DALLAS, TEXAS 75227

MATERIAL SETTING

OWNER : CITY OF ROBINSON, WELL NO. 10

LOCATION: EAST OF HWY 77 ON SHAMROCK
ROBINSON, MCLENNAN COUNTY, TEXAS

DATE : MAY 1987

| FROM | TO | AMOUNT | DESCRIPTION |
|------|------|--------|--|
| +2 | 2372 | 2374 | 10-3/4" OD steel casing, set and cemented by Halli- burton |
| 2274 | 2374 | 100 | 7" OD steel liner pipe |
| 2374 | 2456 | 82 | 8-5/8" OD mill slotted screen .050" |
| 2456 | 2466 | 10 | 8-5/8" OD blank liner |
| 2466 | 2506 | 40 | 8-5/8" OD mill slotted screen .050" |
| 2506 | 2526 | 20 | 8-5/8" OD blank liner |

Note: Hole underreamed 16" and gravel packed with
Texas Mining grade 8-16 gravel

J. L. MYERS COMPANY
8325 FORNEY ROAD
DALLAS, TEXAS 75227

| DATE | I.D. | PO # | DESCRIPTION | AMOUNT |
|-----------|--------------|------|------------------------------|----------|
| 3/17/2010 | 201003175231 | | HISTORIC USE APPLICATION FEE | 1,000.00 |

STUB TOTAL 1,000.00

PLEASE DETACH STUB BEFORE DEPOSITING

CHECK TOTAL 1,000.00

VEND: 1166

CHECK DATE: 3/17/2010 CHECK NO: 55935

RECEIPT

DATE 3/22/10 No. 248702

RECEIVED FROM CO Robinson \$ 1,000.00

One thousand & 00/100 DOLLARS

FOR RENT

FOR HAPP Application - No HAPP 2010-003

| | | |
|----------|--|-----------------------------------|
| ACCOUNT | | <input type="radio"/> CASH |
| PAYMENT | | <input type="radio"/> MONEY ORDER |
| BAL. DUE | | <input type="radio"/> CHECK |
| | | <input type="radio"/> CREDIT CARD |

FROM _____ TO _____

BY [Signature]

1182

| DATE | I.D. | PO # | DESCRIPTION | AMOUNT |
|-----------|--------------|------|------------------------------|----------|
| 3/17/2010 | 201003175231 | | HISTORIC USE APPLICATION FEE | 1,000.00 |

STUB TOTAL 1,000.00

PLEASE DETACH STUB BEFORE DEPOSITING

CHECK TOTAL 1,000.00

VEND: 1166 CHECK DATE: 3/17/2010 CHECK NO: 55935

THE FACE OF THIS DOCUMENT HAS A COLORED BACKGROUND ON WHITE PAPER

CITY OF ROBINSON

111 W. LYNDAL
ROBINSON, TX 76706

FIDELITY BANK OF TEXAS
ROBINSON, TX 76716
88-534/1119

055935

| | IDENTIFICATION NUMBER | DATE | CHECK NUMBER | NET AMOUNT |
|----------|-----------------------|-----------|--------------|------------|
| BANK: 99 | VEND: 1166 | 3/17/2010 | 55935 | 1,000 |

---- ONE THOUSAND & 00/100 DOLLARS ----

PAY TO THE ORDER OF
 SOUTHERN TRINITY G.C.D.
 P. O. BOX 2205
 WACO, TX 76703

Pat E. Lewis
Quinn K. Branch

⑈055935⑈ ⑆111905340⑆ ⑈001 600 6⑈

SECURITY FEATURES INCLUDED. DETAILS ON BACK.