

SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS

HISTORIC USE PRODUCTION PERMIT

THIS CERTIFIES THAT: Elm Creek Water Supply Corporation
P.O. Box 538
Moody, Texas 76557
Phone: 254-853-9234

(the "Permittee"), has applied for an Historic Use Production Permit to withdraw and place to beneficial use groundwater from within the District, and that the Board of Directors of the Southern Trinity Groundwater Conservation District ("District") has APPROVED the application as follows:

1 Permit Category

This permit is a **Historic Use Production Permit**.

2 Permit Term

The term of this permit is **perpetual**.

3 Groundwater Source

The source of groundwater is the **Trinity Aquifer**.

4 Annual Groundwater Withdrawal Amounts

Permittee may withdraw groundwater from the Trinity Aquifer for beneficial, nonwasteful use in a manner not to exceed the following volume: **225.3186 Acre-Feet (73,420,300 Gallons) per calendar year**. This groundwater withdrawal amount has been calculated pursuant to Section 5.211 of the District's rules. It may be subject to proportional adjustment pursuant to Chapter 5, Subchapter B of the District's rules, as may be amended.

5 Purpose of Use

Permittee may use Trinity Aquifer groundwater only for **municipal purposes**.

6 Well Name(s), Location(s), and Maximum Rate of Withdrawal

Groundwater may only be withdrawn from the aquifer from a well(s) located at each of the location(s) and with a maximum rate of withdrawal(s) (flow rate) as follows:

<u>Name</u>	<u>Location (latitude/longitude)</u>	<u>Maximum Flow Rate</u>
Well # 1	N31D 17M 18S / W97D 18M 44S	150 gpm
Well # 2	N31D 19M 17S / W97D 23M 17S	120 gpm
Well # 3	N31D 15M 24S / W97D 47M 17S	410 gpm

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

7 Measurement of Amount of Groundwater Withdrawn

Permittee may only withdraw groundwater from a well that has an operating flow meter that meets the requirements of Chapter 8 of the District's rules.

8 Place of Use

Permittee may beneficially use Aquifer groundwater only within the Permittee's wholesale or retail water service area identified in the Certificate of Convenience and Necessity 10031, filed with the Texas Commission on Environmental Quality. Except as provided by 5.401(b) of the District's rules, as may be amended, if the place of use is not within the District's boundaries, Permittee must obtain a groundwater exportation permit from the District prior to the withdrawal of groundwater under the permit.

9 Well Construction, Operation, Maintenance, Closure

The well(s) identified in this permit shall be installed, equipped, operated, maintained, plugged, capped, or closed, as may be appropriate in accordance with the District's rules and all other applicable federal, state, and local laws, including by submitting a copy of a state plugging report to the District within 60 days after capping or plugging any well.

10 Water Conservation

Withdrawals of groundwater are required to be efficiently withdrawn and used in compliance with the District's rules and the District's water conservation plan, as may be amended, and Permittee's plan as approved by the District, as may be applicable.

11 Conveyance to Place of Use

Water authorized by this permit to be produced must be conveyed to the place of use in a manner to prevent evaporation, channel loss by percolation, or waste. Water conveyed greater than a distance of one-half mile from the wellhead where produced must be conveyed through a pipeline.

12 Meters; Alternative Measuring Method

Permittee shall install, operate and maintain the meter or alternative measuring method on the well(s) identified in this permit in compliance with the District's rules and the manufacturer's instructions.

13 Reports

Permittee shall timely file all applicable reports with the District on forms prescribed by the District as required by the District's rules, as may be amended, and other applicable law.

14 Fees

Permittee shall timely pay and remain current on the payment of all applicable fees to the District.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

15 Interruption, Suspension, or Other Limitations Due to Drought

Permittee shall reduce water supply and consumption during times of drought in accordance with the District's rules and the District's management plan and Permittee's plan approved by the District, as applicable.

16 Groundwater Management Plan

Permittee shall withdraw and use groundwater only in accordance with the District's approved groundwater management plan, as may be amended.

17 Water Quality

Permittee shall use diligence to protect the water quality of groundwater in the District and shall comply with the District's water quality rules and take no action that pollutes or contributes to the pollution of groundwater in the District.

18 Transfers and Amendments

Permittee may transfer or amend this permit only in compliance with the District's rules.

19 Permit Review, Renewal or Extension Conditions

Permittee is subject to any review, renewal or extension conditions stated in the permit or the District's rules.

20 Change of Name, Address or Telephone Number

Permittee shall provide written notice to the District of any change of ownership, name of Permittee or the authorized representative, well operator, mailing address or telephone number within 30 days of such change.

21 Inspections by District

Any authorized officer, employee, agent or representative of the District shall have the right at all reasonable times to enter upon lands upon which a well may be located within the boundaries of the District, including the well(s) identified in Paragraph 6 of this permit, for the purpose of inspecting or testing such wells, meters, pumps and the power units of a well or wells, collecting water samples, and making any other reasonable and necessary inspections and tests that may be required or necessary for the formulation or the enforcement of the permits, rules or orders of the District. Permittee has a duty to ensure that the well site is accessible to District representatives for inspection and to cooperate fully in any reasonable inspection of the well(s) and well site by District representatives.

22 Additional Conditions

This permit is issued subject to the requirements of: (1) Chapter 8821, Texas Special District Local Laws Code; (2) Chapter 36, Texas Water Code, as may be amended; and (3) the District's Rules, as may be amended.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

23 Enforcement

The District retains the right to take any and all enforcement actions within its legal authority to enforce compliance with the terms and conditions of this permit.

24 Continuing Jurisdiction of District

This permit is issued subject to the continuing jurisdiction of and supervision by the District, and may be amended from time to time consistent with applicable law, including if the District learns that any of the information set forth in this permit is incorrect on the date issued.

25 Permit Recordation

Within 30 days of the date of issuance of this approved permit from the District, Permittee shall record this permit with the County Clerk of every county in which the well(s) or place of use are located and provide a copy of the recorded permit to the District.

26 References to Law


Any reference in this permit to a statute, rule, or other law of any kind, that exists on the date of issuance of the permit includes all subsequent amendments and additions thereto.

27 Other Matters Denied

All other matters requested in Permittee's application that are not specifically granted by this permit are denied.


SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS

THIS PERMIT IS ISSUED, EXECUTED THIS 5 day of August, 2010, by the Board of Directors of the Southern Trinity Groundwater Conservation District.



Rodney Kroll,
President, Board of Directors

ATTEST:



Glen Thurman
Secretary, Board of Directors

ACKNOWLEDGMENT

STATE OF TEXAS)
COUNTY OF MCLENNAN)

ON BEHALF OF THE DISTRICT, THIS PERMIT WAS ACKNOWLEDGED before me on August 5, 2010, by Rodney Kroll, President, Board of Directors, Southern Trinity Groundwater Conservation District, a groundwater conservation district created pursuant to Article XVI, Section 59, Texas Constitution.



Notary Public in and for the State of Texas

AFTER RECORDING RETURN TO:

Tricia Law, General Manager
Southern Trinity Groundwater Conservation District
P. O. Box 2205
420 North 6th Street
Waco, Texas 76703



STATE OF TEXAS
COUNTY OF CORYELL
I, Barbara Simpson, County Clerk In and for Coryell
County, Texas do hereby certify that this instrument
was filed for record in the volume and page of
the Coryell County Public Records and of the time
and date as stamped hereon by me.



BARBARA SIMPSON, CLERK
CORYELL COUNTY, TEXAS

Barbara Simpson

FILED FOR RECORD
AT 2300 O'CLOCK P M

AUG 10 2010

Barbara Simpson
COUNTY CLERK, CORYELL CO., TEXAS

239132

248-3114

[Faint, illegible text]

$\frac{1}{6}$ *so*



SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS

HISTORIC USE PRODUCTION PERMIT

THIS CERTIFIES THAT: Elm Creek Water Supply Corporation
P.O. Box 538
Moody, Texas 76557
Phone: 254-853-9234

(the "Permittee"), has applied for an Historic Use Production Permit to withdraw and place to beneficial use groundwater from within the District, and that the Board of Directors of the Southern Trinity Groundwater Conservation District ("District") has APPROVED the application as follows:

1 Permit Category

This permit is a **Historic Use Production Permit**.

2 Permit Term

The term of this permit is **perpetual**.

3 Groundwater Source

The source of groundwater is the **Trinity Aquifer**.

4 Annual Groundwater Withdrawal Amounts

Permittee may withdraw groundwater from the Trinity Aquifer for beneficial, nonwasteful use in a manner not to exceed the following volume: **225.3186 Acre-Foot (73,420,300 Gallons) per calendar year**. This groundwater withdrawal amount has been calculated pursuant to Section 5.211 of the District's rules. It may be subject to proportional adjustment pursuant to Chapter 5, Subchapter B of the District's rules, as may be amended.

5 Purpose of Use

Permittee may use Trinity Aquifer groundwater only for **municipal purposes**.

6 Well Name(s), Location(s), and Maximum Rate of Withdrawal

Groundwater may only be withdrawn from the aquifer from a well(s) located at each of the location(s) and with a maximum rate of withdrawal(s) (flow rate) as follows:

<u>Name</u>	<u>Location (latitude/longitude)</u>	<u>Maximum Flow Rate</u>
Well # 1	N31D 17M 18S / W97D 18M 44S	150 gpm
Well # 2	N31D 19M 17S / W97D 23M 17S	120 gpm
Well # 3	N31D 15M 24S / W97D 47M 17S	410 gpm

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

7 Measurement of Amount of Groundwater Withdrawn

Permittee may only withdraw groundwater from a well that has an operating flow meter that meets the requirements of Chapter 8 of the District's rules.

8 Place of Use

Permittee may beneficially use Aquifer groundwater only within the Permittee's wholesale or retail water service area identified in the Certificate of Convenience and Necessity 10031, filed with the Texas Commission on Environmental Quality. Except as provided by 5.401(b) of the District's rules, as may be amended, if the place of use is not within the District's boundaries, Permittee must obtain a groundwater exportation permit from the District prior to the withdrawal of groundwater under the permit.

9 Well Construction, Operation, Maintenance, Closure

The well(s) identified in this permit shall be installed, equipped, operated, maintained, plugged, capped, or closed, as may be appropriate in accordance with the District's rules and all other applicable federal, state, and local laws, including by submitting a copy of a state plugging report to the District within 60 days after capping or plugging any well.

10 Water Conservation

Withdrawals of groundwater are required to be efficiently withdrawn and used in compliance with the District's rules and the District's water conservation plan, as may be amended, and Permittee's plan as approved by the District, as may be applicable.

11 Conveyance to Place of Use

Water authorized by this permit to be produced must be conveyed to the place of use in a manner to prevent evaporation, channel loss by percolation, or waste. Water conveyed greater than a distance of one-half mile from the wellhead where produced must be conveyed through a pipeline.

12 Meters; Alternative Measuring Method

Permittee shall install, operate and maintain the meter or alternative measuring method on the well(s) identified in this permit in compliance with the District's rules and the manufacturer's instructions.

13 Reports

Permittee shall timely file all applicable reports with the District on forms prescribed by the District as required by the District's rules, as may be amended, and other applicable law.

14 Fees

Permittee shall timely pay and remain current on the payment of all applicable fees to the District.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

15 Interruption, Suspension, or Other Limitations Due to Drought

Permittee shall reduce water supply and consumption during times of drought in accordance with the District's rules and the District's management plan and Permittee's plan approved by the District, as applicable.

16 Groundwater Management Plan

Permittee shall withdraw and use groundwater only in accordance with the District's approved groundwater management plan, as may be amended.

17 Water Quality

Permittee shall use diligence to protect the water quality of groundwater in the District and shall comply with the District's water quality rules and take no action that pollutes or contributes to the pollution of groundwater in the District.

18 Transfers and Amendments

Permittee may transfer or amend this permit only in compliance with the District's rules.

19 Permit Review, Renewal or Extension Conditions

Permittee is subject to any review, renewal or extension conditions stated in the permit or the District's rules.

20 Change of Name, Address or Telephone Number

Permittee shall provide written notice to the District of any change of ownership, name of Permittee or the authorized representative, well operator, mailing address or telephone number within 30 days of such change.

21 Inspections by District

Any authorized officer, employee, agent or representative of the District shall have the right at all reasonable times to enter upon lands upon which a well may be located within the boundaries of the District, including the well(s) identified in Paragraph 6 of this permit, for the purpose of inspecting or testing such wells, meters, pumps and the power units of a well or wells, collecting water samples, and making any other reasonable and necessary inspections and tests that may be required or necessary for the formulation or the enforcement of the permits, rules or orders of the District. Permittee has a duty to ensure that the well site is accessible to District representatives for inspection and to cooperate fully in any reasonable inspection of the well(s) and well site by District representatives.

22 Additional Conditions

This permit is issued subject to the requirements of: (1) Chapter 8821, Texas Special District Local Laws Code; (2) Chapter 36, Texas Water Code, as may be amended; and (3) the District's Rules, as may be amended.

SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS

23 Enforcement

The District retains the right to take any and all enforcement actions within its legal authority to enforce compliance with the terms and conditions of this permit.

24 Continuing Jurisdiction of District

This permit is issued subject to the continuing jurisdiction of and supervision by the District, and may be amended from time to time consistent with applicable law, including if the District learns that any of the information set forth in this permit is incorrect on the date issued.

25 Permit Recordation

Within 30 days of the date of issuance of this approved permit from the District, Permittee shall record this permit with the County Clerk of every county in which the well(s) or place of use are located and provide a copy of the recorded permit to the District.

26 References to Law


Any reference in this permit to a statute, rule, or other law of any kind, that exists on the date of issuance of the permit includes all subsequent amendments and additions thereto.

27 Other Matters Denied

All other matters requested in Permittee's application that are not specifically granted by this permit are denied.


**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

THIS PERMIT IS ISSUED, EXECUTED THIS 5 day of August, 2010, by the Board of Directors of the Southern Trinity Groundwater Conservation District.



Rodney Kroll,
President, Board of Directors

ATTEST:



Glen Thurman
Secretary, Board of Directors

ACKNOWLEDGMENT

STATE OF TEXAS)
COUNTY OF MCLENNAN)

ON BEHALF OF THE DISTRICT, THIS PERMIT WAS ACKNOWLEDGED before me on August 5, 2010, by Rodney Kroll, President, Board of Directors, Southern Trinity Groundwater Conservation District, a groundwater conservation district created pursuant to Article XVI, Section 59, Texas Constitution.



Notary Public in and for the State of Texas

AFTER RECORDING RETURN TO:

Tricia Law, General Manager
Southern Trinity Groundwater Conservation District
P. O. Box 2205
420 North 6th Street
Waco, Texas 76703



FILED AND RECORDED
OFFICIAL PUBLIC RECORDS

J.A. Andy Harwell

August 06, 2010 01:03:59 PM

2010024362

FEE: \$27.00

J.A. "Andy" Harwell County Clerk
McLennan County TEXAS

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

HISTORIC USE PRODUCTION PERMIT

Doc# 00028686

THIS CERTIFIES THAT: Elm Creek Water Supply Corporation
P.O. Box 538
Moody, Texas 76557
Phone: 254-853-9234

(the "Permittee"), has applied for an Historic Use Production Permit to withdraw and place to beneficial use groundwater from within the District, and that the Board of Directors of the Southern Trinity Groundwater Conservation District ("District") has APPROVED the application as follows:

1 Permit Category

This permit is a **Historic Use Production Permit**.

2 Permit Term

The term of this permit is **perpetual**.

3 Groundwater Source

The source of groundwater is the **Trinity Aquifer**.

4 Annual Groundwater Withdrawal Amounts

Permittee may withdraw groundwater from the Trinity Aquifer for beneficial, nonwasteful use in a manner not to exceed the following volume: **225.3186 Acre-Foot (73,420,300 Gallons) per calendar year**. This groundwater withdrawal amount has been calculated pursuant to Section 5.211 of the District's rules. It may be subject to proportional adjustment pursuant to Chapter 5, Subchapter B of the District's rules, as may be amended.

5 Purpose of Use

Permittee may use Trinity Aquifer groundwater only for **municipal purposes**.

6 Well Name(s), Location(s), and Maximum Rate of Withdrawal

Groundwater may only be withdrawn from the aquifer from a well(s) located at each of the location(s) and with a maximum rate of withdrawal(s) (flow rate) as follows:

<u>Name</u>	<u>Location (latitude/longitude)</u>	<u>Maximum Flow Rate</u>
Well # 1	N31D 17M 18S / W97D 18M 44S	150 gpm
Well # 2	N31D 19M 17S / W97D 23M 17S	120 gpm
Well # 3	N31D 15M 24S / W97D 47M 17S	410 gpm

SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS

7 Measurement of Amount of Groundwater Withdrawn

Permittee may only withdraw groundwater from a well that has an operating flow meter that meets the requirements of Chapter 8 of the District's rules.

8 Place of Use

Permittee may beneficially use Aquifer groundwater only within the Permittee's wholesale or retail water service area identified in the Certificate of Convenience and Necessity 10031, filed with the Texas Commission on Environmental Quality. Except as provided by 5.401(b) of the District's rules, as may be amended, if the place of use is not within the District's boundaries, Permittee must obtain a groundwater exportation permit from the District prior to the withdrawal of groundwater under the permit.

9 Well Construction, Operation, Maintenance, Closure

The well(s) identified in this permit shall be installed, equipped, operated, maintained, plugged, capped, or closed, as may be appropriate in accordance with the District's rules and all other applicable federal, state, and local laws, including by submitting a copy of a state plugging report to the District within 60 days after capping or plugging any well.

10 Water Conservation

Withdrawals of groundwater are required to be efficiently withdrawn and used in compliance with the District's rules and the District's water conservation plan, as may be amended, and Permittee's plan as approved by the District, as may be applicable.

11 Conveyance to Place of Use

Water authorized by this permit to be produced must be conveyed to the place of use in a manner to prevent evaporation, channel loss by percolation, or waste. Water conveyed greater than a distance of one-half mile from the wellhead where produced must be conveyed through a pipeline.

12 Meters; Alternative Measuring Method

Permittee shall install, operate and maintain the meter or alternative measuring method on the well(s) identified in this permit in compliance with the District's rules and the manufacturer's instructions.

13 Reports

Permittee shall timely file all applicable reports with the District on forms prescribed by the District as required by the District's rules, as may be amended, and other applicable law.

14 Fees

Permittee shall timely pay and remain current on the payment of all applicable fees to the District.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

15 Interruption, Suspension, or Other Limitations Due to Drought

Permittee shall reduce water supply and consumption during times of drought in accordance with the District's rules and the District's management plan and Permittee's plan approved by the District, as applicable.

16 Groundwater Management Plan

Permittee shall withdraw and use groundwater only in accordance with the District's approved groundwater management plan, as may be amended.

17 Water Quality

Permittee shall use diligence to protect the water quality of groundwater in the District and shall comply with the District's water quality rules and take no action that pollutes or contributes to the pollution of groundwater in the District.

18 Transfers and Amendments

Permittee may transfer or amend this permit only in compliance with the District's rules.

19 Permit Review, Renewal or Extension Conditions

Permittee is subject to any review, renewal or extension conditions stated in the permit or the District's rules.

20 Change of Name, Address or Telephone Number

Permittee shall provide written notice to the District of any change of ownership, name of Permittee or the authorized representative, well operator, mailing address or telephone number within 30 days of such change.

21 Inspections by District

Any authorized officer, employee, agent or representative of the District shall have the right at all reasonable times to enter upon lands upon which a well may be located within the boundaries of the District, including the well(s) identified in Paragraph 6 of this permit, for the purpose of inspecting or testing such wells, meters, pumps and the power units of a well or wells, collecting water samples, and making any other reasonable and necessary inspections and tests that may be required or necessary for the formulation or the enforcement of the permits, rules or orders of the District. Permittee has a duty to ensure that the well site is accessible to District representatives for inspection and to cooperate fully in any reasonable inspection of the well(s) and well site by District representatives.

22 Additional Conditions

This permit is issued subject to the requirements of: (1) Chapter 8821, Texas Special District Local Laws Code; (2) Chapter 36, Texas Water Code, as may be amended; and (3) the District's Rules, as may be amended.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

23 Enforcement

The District retains the right to take any and all enforcement actions within its legal authority to enforce compliance with the terms and conditions of this permit.

24 Continuing Jurisdiction of District

This permit is issued subject to the continuing jurisdiction of and supervision by the District, and may be amended from time to time consistent with applicable law, including if the District learns that any of the information set forth in this permit is incorrect on the date issued.

25 Permit Recordation

Within 30 days of the date of issuance of this approved permit from the District, Permittee shall record this permit with the County Clerk of every county in which the well(s) or place of use are located and provide a copy of the recorded permit to the District.

26 References to Law


Any reference in this permit to a statute, rule, or other law of any kind, that exists on the date of issuance of the permit includes all subsequent amendments and additions thereto.

27 Other Matters Denied

All other matters requested in Permittee's application that are not specifically granted by this permit are denied.


**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

THIS PERMIT IS ISSUED, EXECUTED THIS 5 day of August, 2010, by the Board of Directors of the Southern Trinity Groundwater Conservation District.



Rodney Kroll,
President, Board of Directors

ATTEST:



Glen Thurman
Secretary, Board of Directors

ACKNOWLEDGMENT

**STATE OF TEXAS)
COUNTY OF MCLENNAN)**

ON BEHALF OF THE DISTRICT, THIS PERMIT WAS ACKNOWLEDGED before me on August 5, 2010, by Rodney Kroll, President, Board of Directors, Southern Trinity Groundwater Conservation District, a groundwater conservation district created pursuant to Article XVI, Section 59, Texas Constitution.



Notary Public in and for the State of Texas



AFTER RECORDING RETURN TO:

Tricia Law, General Manager
Southern Trinity Groundwater Conservation District
P. O. Box 2205
420 North 6th Street
Waco, Texas 76703

27.00
1004

Bell County
Shelley Coston
County Clerk
Belton, Texas 76513



70 2010 00028686

Instrument Number: 2010-00028686

As

Recorded On: August 10, 2010

Miscellaneous Recordings

Parties: SOUTHERN TRINITY GROUNDWATER CONSERVATION D

Billable Pages: 5

To ELM CREEK WATER SUPPLY CORPORATION

Number of Pages: 6

Comment:

(Parties listed above are for Clerks reference only)

**** Examined and Charged as Follows: ****

Miscellaneous Recordings	27.00
Total Recording:	27.00

***** DO NOT REMOVE. THIS PAGE IS PART OF THE INSTRUMENT *****

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

Document Information:

Document Number: 2010-00028686

Receipt Number: 84656

Recorded Date/Time: August 10, 2010 12:03:08P

User / Station: N Mitchell - Cash Station 2

Record and Return To:

SOUTHERN TRINITY GROUNDWATER
CONSERVATION DISTRICT
PO BOX 2205
WACO TX 76703

I hereby certify that this instrument was filed on the date and time stamped hereon and was duly recorded in the Real Property Records in Bell County, Texas



Shelley Coston
Bell County Clerk

SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS

HISTORIC USE PRODUCTION PERMIT

THIS CERTIFIES THAT: Elm Creek Water Supply Corporation
P.O. Box 538
Moody, Texas 76557
Phone: 254-853-9234

(the "Permittee"), has applied for an Historic Use Production Permit to withdraw and place to beneficial use groundwater from within the District, and that the Board of Directors of the Southern Trinity Groundwater Conservation District ("District") has APPROVED the application as follows:

1 Permit Category

This permit is a **Historic Use Production Permit.**

2 Permit Term

The term of this permit is **perpetual.**

3 Groundwater Source

The source of groundwater is the **Trinity Aquifer.**

4 Annual Groundwater Withdrawal Amounts

Permittee may withdraw groundwater from the Trinity Aquifer for beneficial, nonwasteful use in a manner not to exceed the following volume: **225.3186 Acre-Feet (73,420,300 Gallons) per calendar year.** This groundwater withdrawal amount has been calculated pursuant to Section 5.211 of the District's rules. It may be subject to proportional adjustment pursuant to Chapter 5, Subchapter B of the District's rules, as may be amended.

5 Purpose of Use

Permittee may use Trinity Aquifer groundwater only for **municipal purposes.**

6 Well Name(s), Location(s), and Maximum Rate of Withdrawal

Groundwater may only be withdrawn from the aquifer from a well(s) located at each of the location(s) and with a maximum rate of withdrawal(s) (flow rate) as follows:

<u>Name</u>	<u>Location (latitude/longitude)</u>	<u>Maximum Flow Rate</u>
Well # 1	N31D 17M 18S / W97D 18M 44S	150 gpm
Well # 2	N31D 19M 17S / W97D 23M 17S	120 gpm
Well # 3	N31D 15M 24S / W97D 47M 17S	410 gpm

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

7 Measurement of Amount of Groundwater Withdrawn

Permittee may only withdraw groundwater from a well that has an operating flow meter that meets the requirements of Chapter 8 of the District's rules.

8 Place of Use

Permittee may beneficially use Aquifer groundwater only within the Permittee's wholesale or retail water service area identified in the Certificate of Convenience and Necessity 10031, filed with the Texas Commission on Environmental Quality. Except as provided by 5.401(b) of the District's rules, as may be amended, if the place of use is not within the District's boundaries, Permittee must obtain a groundwater exportation permit from the District prior to the withdrawal of groundwater under the permit.

9 Well Construction, Operation, Maintenance, Closure

The well(s) identified in this permit shall be installed, equipped, operated, maintained, plugged, capped, or closed, as may be appropriate in accordance with the District's rules and all other applicable federal, state, and local laws, including by submitting a copy of a state plugging report to the District within 60 days after capping or plugging any well.

10 Water Conservation

Withdrawals of groundwater are required to be efficiently withdrawn and used in compliance with the District's rules and the District's water conservation plan, as may be amended, and Permittee's plan as approved by the District, as may be applicable.

11 Conveyance to Place of Use

Water authorized by this permit to be produced must be conveyed to the place of use in a manner to prevent evaporation, channel loss by percolation, or waste. Water conveyed greater than a distance of one-half mile from the wellhead where produced must be conveyed through a pipeline.

12 Meters; Alternative Measuring Method

Permittee shall install, operate and maintain the meter or alternative measuring method on the well(s) identified in this permit in compliance with the District's rules and the manufacturer's instructions.

13 Reports

Permittee shall timely file all applicable reports with the District on forms prescribed by the District as required by the District's rules, as may be amended, and other applicable law.

14 Fees

Permittee shall timely pay and remain current on the payment of all applicable fees to the District.

SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS

15 Interruption, Suspension, or Other Limitations Due to Drought

Permittee shall reduce water supply and consumption during times of drought in accordance with the District's rules and the District's management plan and Permittee's plan approved by the District, as applicable.

16 Groundwater Management Plan

Permittee shall withdraw and use groundwater only in accordance with the District's approved groundwater management plan, as may be amended.

17 Water Quality

Permittee shall use diligence to protect the water quality of groundwater in the District and shall comply with the District's water quality rules and take no action that pollutes or contributes to the pollution of groundwater in the District.

18 Transfers and Amendments

Permittee may transfer or amend this permit only in compliance with the District's rules.

19 Permit Review, Renewal or Extension Conditions

Permittee is subject to any review, renewal or extension conditions stated in the permit or the District's rules.

20 Change of Name, Address or Telephone Number

Permittee shall provide written notice to the District of any change of ownership, name of Permittee or the authorized representative, well operator, mailing address or telephone number within 30 days of such change.

21 Inspections by District

Any authorized officer, employee, agent or representative of the District shall have the right at all reasonable times to enter upon lands upon which a well may be located within the boundaries of the District, including the well(s) identified in Paragraph 6 of this permit, for the purpose of inspecting or testing such wells, meters, pumps and the power units of a well or wells, collecting water samples, and making any other reasonable and necessary inspections and tests that may be required or necessary for the formulation or the enforcement of the permits, rules or orders of the District. Permittee has a duty to ensure that the well site is accessible to District representatives for inspection and to cooperate fully in any reasonable inspection of the well(s) and well site by District representatives.

22 Additional Conditions

This permit is issued subject to the requirements of: (1) Chapter 8821, Texas Special District Local Laws Code; (2) Chapter 36, Texas Water Code, as may be amended; and (3) the District's Rules, as may be amended.

**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

23 Enforcement

The District retains the right to take any and all enforcement actions within its legal authority to enforce compliance with the terms and conditions of this permit.

24 Continuing Jurisdiction of District

This permit is issued subject to the continuing jurisdiction of and supervision by the District, and may be amended from time to time consistent with applicable law, including if the District learns that any of the information set forth in this permit is incorrect on the date issued.

25 Permit Recordation

Within 30 days of the date of issuance of this approved permit from the District, Permittee shall record this permit with the County Clerk of every county in which the well(s) or place of use are located and provide a copy of the recorded permit to the District.

26 References to Law


Any reference in this permit to a statute, rule, or other law of any kind, that exists on the date of issuance of the permit includes all subsequent amendments and additions thereto.

27 Other Matters Denied

All other matters requested in Permittee's application that are not specifically granted by this permit are denied.


**SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT
COUNTY OF MCLENNAN, STATE OF TEXAS**

THIS PERMIT IS ISSUED, EXECUTED THIS 5 day of August, 2010, by the Board of Directors of the Southern Trinity Groundwater Conservation District.



Rodney Kroll,
President, Board of Directors

ATTEST:


Glen Thurman
Secretary, Board of Directors

ACKNOWLEDGMENT

STATE OF TEXAS)

COUNTY OF MCLENNAN)


ON BEHALF OF THE DISTRICT, THIS PERMIT WAS ACKNOWLEDGED before me on August 5, 2010, by Rodney Kroll, President, Board of Directors, Southern Trinity Groundwater Conservation District, a groundwater conservation district created pursuant to Article XVI, Section 59, Texas Constitution.



Notary Public in and for the State of Texas

AFTER RECORDING RETURN TO:

Tricia Law, General Manager
Southern Trinity Groundwater Conservation District
P. O. Box 2205
420 North 6th Street
Waco, Texas 76703



STATE OF TEXAS COUNTY OF FALLS
I hereby certify that this instrument was FILED on
this date and at the time stamped hereon by me and
was duly RECORDED in VOL. 247 PAGE 101
of the OFFICIAL PUBLIC RECORDS of Falls County,
Texas, on 8-10-10


FRANCES BRASWELL, COUNTY CLERK
FALLS COUNTY, TEXAS

By _____ Deputy

FILED 10:50 AM
AUG 10 2010
FRANCES BRASWELL
CO. CLERK FALLS CO.

5 26

AFFIDAVIT

THE STATE OF TEXAS
COUNTY OF MCLENNAN

§
§
§


BEFORE ME, the undersigned authority, on this day personally appeared LYNN HOLT, who being duly sworn, upon oath deposes and says:

“My name is LYNN HOLT. I am over 18 years of age, competent to make this affidavit, and am familiar with the facts herein stated and believe them to be true.

I have complied with the requirements of the Southern Trinity Groundwater Conservation District’s Rules to provide notification by first class mail to landowners, well owners and well operators within one half-mile of the well or wells for which I or the entity I represent seek(s) a Historic Use Production Permit. Such notification was made not less than 10 days before the public hearing scheduled to consider the application for a Historic Use Production Permit.”

Lynn Holt Office Manager for
Affiant Elm Creek Water Supply Corp.

Sworn to and subscribed before me on this 29th day of July, 2010.



Ellen L. Welch
Notary Public in and for the State of Texas

**NOTICE OF PROPOSED HISTORIC USE PRODUCTION PERMITS
AND PUBLIC HEARING**

The Southern Trinity Groundwater Conservation District ("District") proposes action on applications for Historic Use Production Permits ("HUPPs"), which would authorize the permittees to withdraw groundwater from the Trinity Aquifer according to the terms and conditions set forth in the permits. A copy of the general manager's proposed action, the proposed HUPPs and technical summaries are available for public inspection at the District's offices at 420 North 6th Street, Waco, Texas during regular business hours.

The District will conduct a public hearing pursuant to its authority under Chapter 8821 of the Texas Special District Local Laws Code, Chapter 36 of the Texas Water Code and the District's rules, to consider issuance of the proposed HUPPs and to provide interested members of the public the opportunity to appear and provide oral or written comments to the District regarding the proposed permits at the following date, time and place:

Date: Thursday, August 5, 2010
Time: 9:00 a.m.
Location: City of Woodway, City Council Chambers
922 Estates Drive
Woodway, Texas

HUPPs are proposed to be granted to the following entities as follows:

Spring Valley Water Supply Corporation, P.O. Box 399, Lorena, Texas, 76655 filed an application on 4/12/2010. The proposed HUPP has a maximum annual withdrawal of 62.5930 Acre-Feet (20,396,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 39M 052S / W97D 30M 79S, N31D 41M 100S / W97D 25M 89S.

M.S. Water Supply Corporation, 510 N Memorial St., Riesel, Texas, 76682 filed an application on 4/14/2010. The proposed HUPP has a maximum annual withdrawal of 23.3051 Acre-Feet (7,594,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 44.591/W097D 15.530.

Levi Water Supply Corporation, 2757 Rosenthal Pkwy, Lorena, Texas, 76655 filed an application on 4/16/2010. The proposed HUPP has a maximum annual withdrawal of 204.0709 Acre-Feet (66,496,700 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 23M 19S / W97D 6M 51S, N31D 23M 33S / W97D 09M 44S, N31D 23M 21S / W97D 10M 24S.

City of Bruceville-Eddy, 143 Wilcox Dr., Eddy, Texas, 76524 filed an application on 4/26/2010. The proposed HUPP has a maximum annual withdrawal of 348.2604 Acre-Feet (113,481,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 22M 2S / W97D 13M 29S, N31D 22M 2S / W97D 13M 28S, N31D 19M 2S / W97D 18M 22S, N31D 17M 47S / W97D 15M 13S.

Leroy-Tours-Gerald Water Supply Corporation, 312 W. Commerce, Leroy, Texas, 76654 filed an application on 4/29/2010. The proposed HUPP has a maximum annual withdrawal of 167.0067 Acre-Feet (54,419,300 Gallons) for municipal use pumped from

wells located at the following latitude/longitude (NAD83):N31D 43.851/W097 01.177, N31D 44M 13S / W97D 02M 33S, N31D 42M 27S / W97D 04M 11S.

City of Bellmead, 3015 Bellmead Dr., Bellmead, Texas, 76705 filed an application on 4/30/2010. The proposed HUPP has a maximum annual withdrawal of 1476.9910 Acre-Feet (481,279,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 35M 45S / W97D 5 M 48S, N31D 36M 8S / W97D 05M 10S, N31D 37M 8S / W97D 05M 32S, N31D 35M 35S / W97D 06M 26S.

Pure Water Supply Corporation, P.O. Box 154414, Waco, Texas, 76715 filed an application on 4/30/2010. The proposed HUPP has a maximum annual withdrawal of 84.4251 Acre-Feet (27,510,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 40.058/W097D 04.981, N31D 39.689/W097D 03.536.

City of Moody, 606 Ave. E., Moody, Texas, 76557 filed an application on 4/30/2010. The proposed HUPP has a maximum annual withdrawal of 61.5005 Acre-Feet (20,040,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 18M 47S / W97D 21M 454S, N31D 18M 278S / W97D 21M 518S.

Ross Water Supply Corporation, P.O. Box 202, Ross, Texas, 76640 filed an application on 4/30/2010. The proposed HUPP has a maximum annual withdrawal of 256.4577 Acre-Feet (83,567,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 43M 05S / W97D 07M 09S, N31D 43M 47S / W97D 05M 59S, N31D 42M 53S / W97D 07M 04S.

McLennan County WCID No. 2, P.O. Box 116, Elm Mott, Texas, 76640 filed an application on 5/3/2010. The proposed HUPP has a maximum annual withdrawal of 258.7532 Acre-Feet (84,315,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 39M 75S / W97D 06M 26S, N31D 40M 43S / W97D 05M 36S, N31D 40M 50S / W97D 06M 32S.

EOL Water Supply Corporation, 9226 Elk Road, Axtell, Texas, 76624 filed an application on 5/3/2010. The proposed HUPP has a maximum annual withdrawal of 214.7877 Acre-Feet (69,988,800 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 35M 18S / W96D 59M 08S, N31D 36M 55S / W96D 56M 13S, N31D 35M 36S / W96D 58M 28S.

Elm Creek Water Supply Corporation, P.O. Box 538, Moody, Texas, 76557 filed an application on 5/3/2010. The proposed HUPP has a maximum annual withdrawal of 225.3186 Acre-Feet (73,420,300 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 17M 18S / W97D 18M 44S, N31D 19M 17S / W97D 23M 17S, N31D 15M 24S / W97D 47M 17S.

Patrick Water Supply Corporation, 245 Goldman Lane, Waco, Texas, 76708 filed an application on 5/3/2010. The proposed HUPP has a maximum annual withdrawal of 52.5578 Acre-Feet (17,126,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 41M 09S / W97D 14M 78S.

Gholson Water Supply Corporation, 12520 Gholson Rd., Waco, Texas, 76705 filed an application on 5/3/2010. The proposed HUPP has a maximum annual withdrawal of 270.0348 Acre-Feet (87,991,100 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D .44.417./ W097D 15.223, N31D

43.851/ W097D 14.632, N31D 44.591/ W097D 15.530.

Hog Creek Water Supply Corporation, 147 Hsih Prairie Rd., Valley Mills, Texas, 76689 filed an application on 4/30/2010. The proposed HUPP has a maximum annual withdrawal of 81.5047 Acre-Feet (26,558,400 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 36.880/W097D 31.806, N31D 29.799/W096D 58.105.

City of West, 110 N Reagan St., West, Texas, 76691 filed an application on 3/10/2010. The proposed HUPP has a maximum annual withdrawal of 465.3691 Acre-Feet (151,641,000 Gallons) for municipal use pumped from wells located at the following latitude/longitude (NAD83):N31D 48M 58S / W97D 05M 33S.

HUPP applicants or affected persons may file a written request for a contested case hearing on the proposed HUPPs with the District by no later than August 2, 2010 at 9:00 a.m. If no timely requests for contested case hearing are filed, the applications will be presented to the District on the date of the hearing for final action.

ISSUED THIS 16th DAY OF July 2010.

Tricia K. Law, General Manager
Southern Trinity Groundwater Conservation District

SOUTHERN TRINITY GROUNDWATER CONSERVATION DISTRICT

P. O. Box 2205
 420 North 6th Street
 Waco, Texas 76703

Phone: (254) 759-5610 southerntrinitygcd@att.net

APPLICATION FOR HISTORIC USE PRODUCTION PERMIT

Part A – General Information

Instructions: Please type or print legibly. Incomplete applications will not be accepted. Application Fee Required: A non-refundable application fee of \$1,000 must accompany this application. Only checks or money orders made payable to “Southern Trinity Groundwater Conservation District” will be accepted. CASH IS NOT ACCEPTED.

1. Applicant Information		
<input type="checkbox"/> Individual	<input type="checkbox"/> Partnership	<input checked="" type="checkbox"/> Corporation
<input type="checkbox"/> Government Entity	<input type="checkbox"/> Estate/Trust/Guardianship	
Permit Applicant's Name: Elm Creek Water Supply Corporation		
Physical Address: 603 Avenue E		
City: Moody	State: TX	Zip Code: 76557
Mailing Address, (if different): PO Box 538		
City: Moody	State: TX	Zip Code: 76557
Daytime Telephone Number: Fax: 254-853-9234		
Email Address (if any): elmcreek@vvm.com		
2. Name of Authorized Agent (if any): Charles Dickenson		
Position: Assistant Secretary		
Physical Address: 1313 Alexander Rd		
City: Moody	State: TX	Zip Code: 76557
Mailing Address (if different):		
City:	State:	Zip Code:
Daytime Telephone Numbers of Authorized Agent: 853-0200 Fax:		
Email for Authorized Agent (if any): NA		
Date Application Received: <u>MAY 03 2010</u> Date Admin. Fee Received: <u>MAY 03 2010</u> Amount of Fee: <u>1000.00</u>		

RECEIVED
For District Use Only
 BY: [Signature]

RECEIVED
For District Use Only
 BY: [Signature]

Historic Groundwater Use and Production Information.

3. Purpose of Historic Use: The purpose(s) for which the groundwater was used during the Historic Use Period. Irrigation Municipal Industrial
 Other (If Other, describe specifically):

4. Purpose of Future Use: Non-profit water supply for public consumption

5. Is the place of use within the District boundaries: Yes No

6. If you answered No to Item 5, has a groundwater exportation permit been applied for or obtained from the District or is there a groundwater export agreement or contract in effect prior to January 7, 2010? Yes No

7. If you answered Yes to Item 6, please describe the parties to the agreement, the location outside of the District that the water is used, the amount use, and pipeline route. Water distributed for residential, personal use in Bell, Coryell and Falls counties.

8. Completely describe the place of use of groundwater withdrawn from the well:
 Potable drinking water for rural community

9. If groundwater was withdrawn from the well or placed to a beneficial use by a contract user or predecessor in interest, then provide the name, address, and telephone number of each contract user or predecessor in interest, and provide copies of the legal documents establishing the legal right of the contract user or predecessor in interest to withdraw and/or place groundwater from the well to beneficial use.

N/A

10. If applicable, provide a copy of the map identifying the boundaries of the applicant's Certificate of Convenience and Necessity (CCN).

11. If applicable, describe the number of connections to be serviced by the well: 1375

12. Maximum Historic Use. State the amount of water that you claim as your Maximum Historic Use during any one year of the Historic Use Period. Maximum Historic Use means the maximum amount of groundwater that an applicant for a Historic Use Production Permit proves was produced and beneficially used without waste from the applicant's non-exempt well during any one calendar year of the Historic Use Period.
 Amount: 73,420,300 Units: Gallons Year:2009

13. Provide your use amounts for each year groundwater was withdrawn during the Historical Use Period. If no groundwater was withdrawn for a period listed below, place a zero (0) in the appropriate space (typical units are in gallons, 100 gallons, 1000 gallons, or acre-feet).

2009 Amount: 73,420,300 Units: Gallons

2008 Amount: 31,918,700 Units: Gallons

2007 Amount: 4,399,300 Units: Gallons

2006 Amount: 23,469,800 Units: Gallons

2005 Amount: 32,006,200 Units: Gallons

2004 Amount: 16,741,400 Units: Gallons

2003 Amount: 24,929,600 Units: Gallons

2002 Amount: 22,407,300 Units: Gallons

2001 Amount: 25,881,600 Units: Gallons

2000 Amount: 36,487,000 Units: Gallons

14. Attach documents to substantiate your claim of Maximum Historic Use. Documentation may include, but is not limited to: production logs showing amount of water pumped, copies of reports to the Texas Commission on Environmental Quality, the Texas Water Development Board, or the Texas Department of Health; reports filed with or created by the Natural Resource Conservation Service or Farm Services Agency or aerial photographs; reports filed with or created by soil and water conservation districts; fuel and electricity use records; and calculations used to estimate well discharge rates if the well discharge is not metered. The purpose of supporting documentation is to substantiate your declaration. The information you provide should be labeled, indexed and in a form that can be easily reviewed by the District.

15. Will the proposed use of water unreasonably affect existing groundwater and surface water resources or existing permit holders? Yes No

16. Is the proposed use of water dedicated to a beneficial use? Yes No

17. Is the proposed use of water consistent with the District's management plan? Yes No

**STATEMENT OF COMPLIANCE WITH DISTRICT GROUNDWATER
MANAGEMENT PLAN, DISTRICT RULES, AND COMMITMENT TO WATER
CONSERVATION AND WATER QUALITY PROTECTION**

Please check all that apply:

- Applicant will comply with the District's Groundwater Management Plan.
- Applicant is in compliance with all applicable District rules in effect since December 7, 2007 and will comply with the District's rules.
- Applicant agrees to avoid waste and achieve water conservation.
- Applicant agrees to use reasonable diligence to protect groundwater quality and will follow the District's well plugging guidelines at the time of well closure.
- Applicant affirms that activities constituting the purpose of use for which the groundwater will be beneficially used will be managed to preserve, protect, prevent the pollution, degradation, or harmful alteration of, control and prevent the waste of, prevent the escape of groundwater from, and achieve the conservation of groundwater in and produced from, the aquifer.

CERTIFICATION†

I, the undersigned applicant, subscribe and affirm that the information provided herein is true and correct. I also understand that it shall be considered to be a fraud upon the District for any applicant to knowingly give erroneous information in this application.

Signed: Charles Dickenson

Date: 4 29 10

Printed Name: Charles Dickenson

Title: ASST. SECRETARY

† If the applicant is an individual, the application shall be signed by the applicant or a duly appointed agent. An agent shall provide written evidence of his or her authority to represent the applicant. If the applicant is an individual doing business under an assumed name, the applicant shall attach to the application an assumed name certificate filed with the county clerk of the county in which the principal place of business is located or with the Texas Secretary of State.

A joint application shall be signed by each applicant or each applicant's duly authorized agent with written evidence of such agency submitted with the application. If a well or proposed well is owned by both husband and wife, each person shall sign the application. Joint applicants shall select one among them to act for and represent the others in pursuing the application with the District with written evidence of such representation to be submitted with the application.

If the application is by a partnership, the application shall be signed by one of the general partners. If the applicant is a partnership doing business under an assumed name, the applicant shall attach to the application an assumed name certificate filed with the county clerk of the county in which the principal place of business is located or with the Texas Secretary of State. The name of the partnership must be followed by the words "a partnership." If the applicant is an estate or guardianship, the application shall be signed by the duly appointed guardian or representative of the estate and a current copy of the letters testamentary issued by the court shall be attached to the application.

If the applicant is a corporation, public district, county, municipality or other corporate entity, the application shall be signed by a duly authorized official. Written evidence in the form of bylaws, charters, or resolutions specifying the authority of the official to take such action shall be submitted along with the application. A corporation may file a corporate affidavit as evidence of a corporate official's authority to sign.

If the applicant is acting as trustee for another, the applicant shall sign as trustee and in the application shall disclose the nature of the trust agreement and give the name and current address of each trust beneficiary. The application must designate the trustee's name followed by the word "trustee," and the name of the trust for which the trustee is acting.

ELM CREEK WATER SUPPLY CORP.

P.O. BOX 538
MOODY, TX 76557-0538
(254) 853-3838

THE FIRST NATIONAL BANK
P.O. BOX 128
MOODY, TEXAS 76557
88-734/1119

00700

5/1/2010

PAY TO THE ORDER OF Southern Trinity G.C.D.

\$**1,000.00

One Thousand and 00/100***** DOLLARS

Southern Trinity G.C.D.
PO Box 2205
Waco, Texas 76703

G. W. Hensley
Bill Aubrey
AUTHORIZED SIGNATURE

MEMO
Historic Use App.

⑈007000⑈ ⑆111907348⑆ ⑈02915882⑈

ELM CREEK WATER SUPPLY CORP.

00700

Southern Trinity G.C.D.

5/1/2010

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
5/1/2010	Bill	Historic Use App.	1,000.00	1,000.00		1,000.00
				Check Amount		1,000.00

Moody 1st Historic Use App 1,000.00

RECEIPT

DATE <u>5/3/10</u>	No. <u>248734</u>
RECEIVED FROM <u>Elm Creek WSC</u>	\$ <u>1000.00</u>
<u>One thousand & 00/100</u>	DOLLARS
<input type="radio"/> FOR RENT	<input checked="" type="radio"/> FOR <u>HUPP-2010-042</u>
ACCOUNT	<input type="radio"/> CASH
PAYMENT	<input type="radio"/> MONEY ORDER
BAL. DUE	<input checked="" type="radio"/> CHECK
	<input type="radio"/> CREDIT CARD
	BY <u>[Signature]</u>
	FROM <u>067200</u> TO

STGWCD- HUPP Application - Part B – Well Information (one form per well)

1. Applicant Name: Elm Creek Water Supply Corporation			
2. Well Identifier or Well Name: Well #1			
3. System Name: Elm Creek Water Supply Corporation			
4. TCEQ System ID Number: 1550026			
5. If applicable, please attach a copy of the applicant's most recent water conservation plan and drought contingency plan prepared for TCEQ.			
6. TWDB ID Number: 259050			
7. Aquifer(s) or formations in which the well is screened: Trinity			
8. Address of the property upon which the well is located: 539 Liberty Hill Road, Moody			
9. Well Location:	Latitude:	31 D	17 M 18 S
	Longitude:	97 D	18 M 44 S
10. Identify any surface water, including lakes or rivers within 1,000 feet of the well: None			
11. Well or Driller's Log. Please attach a copy of the State Well Report and, if available, any geophysical logs for the well.			
12. Please attach a photograph of the well taken approximately 100 feet from the well.			
13. Please attach a copy of a recorded deed or other legal document verifying the applicant's ownership of the well. Disregard this requirement if the deed was sent with your Application for Interim Production Status and there has been no change.			
14. Year well drilled: 1967 Year well completed and operational: 1967			
15. Pump Information: Pump Make and Model: Gould's 50 hp			
Pump power source: <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Diesel <input type="checkbox"/> Natural Gas <input type="checkbox"/> Other			
Casing Material <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC			
Size of well casing: 7 inches		Inside diameter of column pipe: 4 inches	
16. The maximum rate at which water can be withdrawn from the well: 150 gpm			
17. Flow Meter Make and Model: Precision			
Serial Number: 60041771		Meter Units: Gallons	
Meter reading end of 2008: Amount: 54099200		Units: Gallons	Date: 1-1-09
Meter reading end of 2009: Amount: 93362500		Units: Gallons	Date: 1-1-10



Elm Cr
Water S
Corpora

PLANT

589 Liberty Hill
(254) 853-8

WELL #1

C. M. STONER
RT. 4
CLEBURNE, TEXAS

DRILLERS LOG

WELL OWNER: Elm Creek Water Supply Corporation
WELL LOCATION: Three miles West of Eddy, Texas
WELL DRILLED BY: C. M. Stoner Drilling Co.
WELL COMPLETED: Feb. 1967

DEPTH OF STRATA	THICKNESS	FORMATION
0 - 1	1'	soil
1 - 60	59'	rock
60 - 330	270'	shale
330 - 1355	1025'	white rock
1355 - 1425	70'	sand
1425 - 1590	165'	sandy & red bed
1590 - 1665	75'	sand
1665 - 1680	15'	yellow shal

PRODUCTION TEST
for
ELM WATER SUPPLY CORPORATION
FEB. 1967

TEST CONDUCTED BY: C. M. Stoner
 WELL OWNER: Elm Creek Water Supply Corporation
 PUMPED WELL NO: 1
 LOCATION: Three miles W. of Eddy, Texas
 AIRLINE LENGTHS: 594' PUMPED WELL 594' STATIC LEVEL 374'
 PUMP SETTING: 594' TEMPERATURE OF WATER: 99%


DATE & TIME	ORIFICE READING	PUMPING RATE GPM	SUBMERGENCE OF PUMP	FEET TO WATER	REMARKS
2 - 7 - 1967					
3:00 P. M.	33"	242	120	474'	Start of Test
4:00	32	240	124	470	
5:00	32	240	123	471	
6:00	31	235	121	473	
7:00	31	235	120	474	
8:00	31	235	119	475	
9:00	31	235	118	476	
10:00	31	235	117	477	
11:00	30	230	116	478	
12:00	30	230	115	479	
1:00 A. M.	30	230	115	479	
2:00	30	230	115	479	
3:00	30	230	115	479	
4:00	30	230	115	479	
5:00	30	230	115	479	
6:00	30	230	115	479	
7:00	30	230	115	479	
8:00	30	230	115	479	
9:00	30	230	115	479	
9:50	5	100	130	464	
10:00	5	100	165	429	
10:20	5	100	170	424	
11:00	5	100	170	424	
12:00	5	100	172	422	
1:00 P. M.	5	100	173	421	
2:00	5	100	174	420	
3:00	5	100	175	419	
4:00	5	100	175	419	
5:00	5	100	175	419	
6:00	5	100	175	419	
7:00	5	100	175	419	

PRODUCTION TEST
for
ELM CREEK WATER SUPPLY CORPORATION
FEB. 1967

DATE & TIME	ORIFICE READING	PUMPING RATE GPM	SUBMERGENCE OF PUMP	FEET TO WATER	REMARKS
8:00 P. M.	5	100	175	419	
9:00	5	100	175	419	
10:00	5	100	175	419	
11:00	5	100	175	419	
12:00	5	100	175	419	
2 - 9 - 1967					
1:00 A. M.	5	100	175	419	
2:00	5	100	175	419	
3:00	5	100	175	419	
4:00	5	100	175	419	
5:00	5	100	175	419	
6:00	5	100	175	419	
7:00	5	100	175	419	
8:00	5	100	175	419	
9:00	5	100	175	419	Cut off
Recovery	Feet to water				
9:01	415.90				
9:02	386.85				
9:03	385.60				
9:04	384.70				
9:05	384				
9:06	383.6				
9:08	382.85				
9:10	382.35				
9:15	381.60				
9:20	380.90				
9:25	380.50				
9:30	380.10				
9:40	379.55				
9:50	379.10				
10:00	378.65				
10:10	378.35				
10:20	378.10				
10:30	377.85				
10:40	377.65				
11:05	377.20				

Layne Office
Steel 4" x 3"
Range 100 to 1000
F.P.M.
TRADE MARK

Measurement of Water by means of
a Coriolis or other type of meter or
a flow pipe
Calibration made by
flow pipe
Layne & Bowler
Chicago, Ill.



STGWCD- HUPP Application - Part B – Well Information (one form per well)

1. Applicant Name: Elm Creek Water Supply Corporation			
2. Well Identifier or Well Name: Well #2			
3. System Name: Elm Creek Water Supply Corporation			
4. TCEQ System ID Number: 1550026			
5. If applicable, please attach a copy of the applicant's most recent water conservation plan and drought contingency plan prepared for TCEQ.			
6. TWDB ID Number: 259050			
7. Aquifer(s) or formations in which the well is screened: Trinity			
8. Address of the property upon which the well is located: 8394 Eddy-G'sville Pkwy, Moody			
9. Well Location:	Latitude:	31 D	19 M 17 S
	Longitude:	97 D	23 M 17 S
10. Identify any surface water, including lakes or rivers within 1,000 feet of the well: None			
11. Well or Driller's Log. Please attach a copy of the State Well Report and, if available, any geophysical logs for the well.			
12. Please attach a photograph of the well taken approximately 100 feet from the well.			
13. Please attach a copy of a recorded deed or other legal document verifying the applicant's ownership of the well. Disregard this requirement if the deed was sent with your Application for Interim Production Status and there has been no change.			
14. Year well drilled: 1978 Year well completed and operational: 1978			
15. Pump Information: Pump Make and Model: Gould's 30 hp			
Pump power source: <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Diesel <input type="checkbox"/> Natural Gas <input type="checkbox"/> Other			
Casing Material <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC			
Size of well casing: 6 inches		Inside diameter of column pipe: 3 inches	
16. The maximum rate at which water can be withdrawn from the well: 120 gpm			
17. Flow Meter Make and Model: Sensus			
Serial Number: 70094065		Meter Units: Gallons	
Meter reading end of 2008: Amount: 40374700		Units: Gallons	Date: 1-1-09
Meter reading end of 2009: Amount: 16071200		Units: Gallons	Date: 1-1-10




Original copy by
 Mailed mail to the
 Water Development Board
 Box 12386
 Austin, Texas 78711

State of Texas
 WATER WELL REPORT

ELL #2
 Well No. _____
 Located on map _____
 Received: _____

OPERATOR: Elm Creek Water Supply Corp Address: Moody Texas
 (Name) (Street or RFD) (City) (State)
 OWNER: Elm Creek Water Supply Corp Address: Moody Texas
 (Name) (Street or RFD) (City) (State)

LOCATION OF WELL:
 County: McLennan miles in West direction from Moody
 (N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW, NE, SW, SE) of Section _____

TYPE OF WORK (Check): New Well _____ Deepening _____ Conditioning _____ Plugging _____	4) PROPOSED USE (Check): Domestic _____ Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____			5) TYPE OF WELL (Check): Rotary _____ Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____		
--	---	--	--	---	--	--

WELL LOG:
 Diameter of hole 11 in. Depth drilled 1160 ft. Depth of completed well 1406 ft. Date drilled 11-4-77
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	140	Blue shale
10	275	Lime
11	1140	Blex locs - Lime + Shale
15	1200	1ST TRINITY Sand
15	1290	Sandy shale
70	1300	Sand
80	1323	Shale
73	1406	Sand & sandy shale

9) CASING:
 Type: Old _____ New Steel Plastic _____ Other _____
 Cemented from 1160 ft. to 0 ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____
 9" 5' above ground 1160-2026
 10) SCREEN:
 Type 4" Steel
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4" 1140 1406 10"x9"

(Use reverse side if necessary)
 COMPLETION (Check):
 Straight wall _____ Gravel packed _____ Other _____
 Under reamed _____ Open Hole 4 1/2" LIME!
 WATER LEVEL:
 Static level 465 ft. below land surface Date 11-4-77
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 575 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes No If yes, by whom? McClinton
 Yield: 160 gpm with 50 ft. drawdown after 5 hrs.
 Bailor test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____
 12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
 NAME R.A. McCLINTON Water Well Drillers Registration No. 1276
 (Type or Print)
 ADDRESS RT 2 Box 196 Elkport Texas
 (Street or RFD) (City) (State)
 (Signed) R.A. McClinton (Water Well Driller)
McClinton Water Well Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.
 Additional instructions on reverse side.
 TWDBE-GW-53


Original copy by
 Filed mail to the
 Water Development Board
 Box 12386
 Austin, Texas 78711

State of Texas
 WATER WELL REPORT

For TWDB use only
 Well No. _____
 Located on map _____
 Received: _____

OWNER: Elm Creek Water Supply Corp Address Moody Texas
 (Name) (Street or RFD) (City) (State)
 Owner having well drilled
 Owner: Elm Creek Water Supply Corp Address Moody Texas
 (Name) (Street or RFD) (City) (State)

LOCATION OF WELL:
 County McLennan miles in West direction from Moody (Town)
 (N.E., S.W., etc.)



Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4, NE 1/4, SW 1/4, SE 1/4) of Section _____

1) TYPE OF WELL (Check):
 a) Well: Deepening Plugging
 b) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other
 c) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

2) WELL LOG:
 Diameter of hole 11 in. Depth drilled 1160 ft. Depth of completed well 1406 ft. Date drilled Nov 27 1965
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 140		Blue shale
10 - 275		lime
11 - 1140		bleached lime + shale
15 - 1200		1st TRINITY sand
20 - 1290		sandy shale
20 - 1300		sand
30 - 1323		shale
43 - 1406		sandy sandy shale

9) CASING:
 Type: Old New Steel Plastic Other
 Cemented from 1160 ft. to 0 ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
9 2' above ground 1160-2016

10) SCREEN:
 Type Steel
 Perforated Slotted
 Diameter (inches) 4 1/2 Setting From (ft.) 1140 To (ft.) 1406 Slot Size 1/2 x 9"

COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole 4 1/2" LIND
 WATER LEVEL:
 Static level 465 ft. below land surface Date 11-4-65
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 575 ft. below land surface.


11) WELL TESTS:
 Was a pump test made? Yes No If yes, by whom? McClinton
 Yield: 160 gpm with 50 ft. drawdown after 5 hrs.
 Bailor test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes No
 Did any strata contain undesirable water? Yes No
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
 NAME R.H. McClinton Water Well Drillers Registration No. 1276
 (Type or Print)
 ADDRESS RT 2 Box 196 Elkport Texas
 (Street or RFD) (City) (State)
 (Signed) R.H. McClinton (Water Well Driller)
McClinton Drilling Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Additional instructions on reverse side.



The Well Man

McCLINTON DRILLING COMPANY


DOCTORING OLD INDUSTRIAL WATER WELLS
REGRAVELLING — DRILLING NEW WELLS

ROUTE 2, BOX 196 — ELKHART, TEXAS 75839

TEXAS DRILLERS
LICENSE NO. 1276

Elm Creek Water Supply Corp.
Well #2 Test
Nov. 4, 5, & 6th.

Time	Pump + Static Level	Draw Down	G.P.M.
Nov 4 2:30 PM	100	100	190
3:00	475	475	140
Lower pump from 500'	10575		
4:00 PM	505	40	135
5:00 PM	505	40	135
6:00 PM	505	40	135
7:00 AM	501	43	135
8:00 PM	501	43	135
Speed Pump		48	165
9:00 PM	513	50	162
10:00 PM	515	50	160
11:00 AM	515	50	160
12:00	11		160
Nov 5 1 AM	515	50	160
2 AM	515	50	160
3 AM	515	50	160
4 AM	515	50	160
5 AM	515	50	160
6 AM	515	50	160
7 AM	515	50	160
8 AM	515	50	160
9 AM	515	50	160
10 AM	515	50	160
11 AM	515	50	160
12 AM	515	50	160



TEXAS DRILLERS
LICENSE NO. 1276

The Well Man

McCLINTON DRILLING COMPANY

DOCTORING OLD INDUSTRIAL WATER WELLS
REGRAVELLING — DRILLING NEW WELLS

ROUTE 2, BOX 196 — ELKHART, TEXAS 75839

Page # 2

Nov 5, 1978

1 PM.

2

3

4

5

6

7

8

9

10

11

12

Nov 6, 1978

1 am

2

3

4

5

~~6~~

~~7~~

Pumping
level
515

515

515

515

515

515

515

515

515

515

515

515

515

515

515

515

515

~~515~~

Draw
DOWN

50

50

50

50

50

50

50

50

50

50

50

50

50

50

50

50

50

50

50

G.P.M.,

160

160

160

160

160

160

160

160

160

160

160

160

160

160

160


160

160

160

STGWCD- HUPP Application - Part B – Well Information (one form per well)

1. Applicant Name: Elm Creek Water Supply Corporation		
2. Well Identifier or Well Name: Well #3		
3. System Name: Elm Creek Water Supply Corporation		
4. TCEQ System ID Number: 1550026		
5. If applicable, please attach a copy of the applicant's most recent water conservation plan and drought contingency plan prepared for TCEQ.		
6. TWDB ID Number: 259050		
7. Aquifer(s) or formations in which the well is screened: Trinity		
8. Address of the property upon which the well is located: 16026 Elm Creek Rd., Moody		
9. Well Location:	Latitude:	31 D 15 M 24 S
	Longitude:	97 D 47 M 17 S
10. Identify any surface water, including lakes or rivers within 1,000 feet of the well: None		
11. Well or Driller's Log. Please attach a copy of the State Well Report and, if available, any geophysical logs for the well.		
12. Please attach a photograph of the well taken approximately 100 feet from the well.		
13. Please attach a copy of a recorded deed or other legal document verifying the applicant's ownership of the well. Disregard this requirement if the deed was sent with your Application for Interim Production Status and there has been no change.		
14. Year well drilled: 2008 Year well completed and operational: 2008		
15. Pump Information: Pump Make and Model: Franklin 350 ST8		
Pump power source: <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Diesel <input type="checkbox"/> Natural Gas <input type="checkbox"/> Other		
Casing Material <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC		
Size of well casing: 10 inches Inside diameter of column pipe: 5.5 inches		
16. The maximum rate at which water can be withdrawn from the well: 410 gpm		
17. Flow Meter Make and Model: Water Specialties		
Serial Number: 2008-09-04-06		Meter Units: Gallons
Meter reading end of 2008: Amount: 3019000	Units: Gallons	Date: 1-1-09
Meter reading end of 2009: Amount: 11700000	Units: Gallons	Date: 1-1-10



Elm Creek
Water Supply
Corporation
WELL SITE #3
16026 Elm Creek Road
(254) 853-3838

MID-TEX
ELM CREEK WATER SUPPLY CORPORATION

WELL #3

STATE OF TEXAS WELL REPORT for Tracking #142780

Owner:	Elm Creek WSC	Owner Well #:	2
Address:	603 Ave C Moody, TX 76557	Grid #:	40-46-7
Well Location:	16026 Elm Creek Rd Moody, TX 76557	Latitude:	31° 15' 53" N
Well County:	McLennan	Longitude:	097° 21' 48" W
Elevation:	No Data	GPS Brand Used:	Garmin
Type of Work:	New Well	Proposed Use:	Public Supply; Plans Approved by TCEQ

Drilling Date: Started: 12/4/2007
Completed: 3/8/2008

Diameter of Hole: Diameter: 20 in From Surface To 40 ft
Diameter: 14 3/4 in From 40 ft To 1470 ft
Diameter: 9 7/8 in From 1470 ft To 1475 ft

Drilling Method: Mud Rotary

Borehole Completion: Straight Wall

Annular Seal Data: 1st Interval: From 0 ft to 1343 ft with 761cem w/3% gel (#sacks and material)
2nd Interval: From 0 ft to 40 ft with 35 cement (#sacks and material)
3rd Interval: No Data
Method Used: Pumped Halliburton Style
Cemented By: Advanced Oilwell Services, Inc./Driller
Distance to Septic Field or other Concentrated Contamination: 150+ ft
Distance to Property Line: 50+ ft
Method of Verification: Driller/Owner
Approved by Variance: No Data

Surface Completion: Surface Slab Installed

Water Level: Static level: 513 ft. below land surface on 3/8/2008
Artesian flow: No Data

Packers: No Data

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Submersible
Depth to pump bowl: 924 ft

Well Tests: Pump \ Jetted
Yield: 410 GPM with 280 ft drawdown after 24 hours

Water Quality: Type of Water: Potable
Depth of Strata: No Data
Chemical Analysis Made: Yes
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct

supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **C. Miller Drilling
7355 E SH 154
Winnsboro , TX 75494**

Driller License Number: **2464**

Licensed Well Driller Signature: **Cory L Miller, 2464**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #142780) on your written request.

**Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL

From (ft)	To (ft)	Description
0	2	Topsoil
2	130	Shale
130	625	Limestone
625	1160	Shale w/limestone strks. 70/30
1160	1210	Sand
1210	1290	Limestone w/shale and sand strks.
1290	1374	Limestone w/sand strks.
1374	1406	Pure sand
1406	1410	Sand and shale strks.
1410	1434	Sand w/shale & rock strks.
1434	1442	Shale
1442	1445	Sand w/shale strks.
1445	1474	Redbed

CASING, BLANK PIPE & WELL SCREEN DATA

Dia.	New/Used	Type	Setting From/To
16	OD N	Steel Surface Casing	0 40
10 3/4	OD N	Steel Casing	0 1343
6 5/8	OD N	Steel Lap Pipe	1215 1347
6 5/8	OD N	Stainless Steel Screen	1347 1461 .016
6 5/8	OD N	Steel Blank	1461 1468



FRANKLIN ELECTRIC
TURBINE PUMP TEST STAND



1301 W. Stovall Road
Wilburton, OK 74578
(918) 465-2348

FINAL PRODUCTION TEST DATA

Model 350ST100D8A-1084

Pump SN 08B19255040

Hz 60



This is production test data for the pump referenced above, tested on a calibrated motor.
This is not a certified curve, and Franklin Electric does not guarantee this performance under all conditions.

Tested By: daniel v

Test Date: 2/25/2008 3:01 PM

**C. Miller Drilling
Pump Set and New Well Completion**

Name of Owner: Elm Creek WSC Date Set: 3/8/08

Address: 603 Ave C City: Moody TX 76557

Well Information:

Surface Completion: Slab, Sleeve Pipe, Sleeve Pipe Size: _____

Static Level of Water: 513' Jetting Info: @ @

Pump Set Information:

Horsepower Rating: 100 Pump Make and Model: Franklin 350 ST 100 DBA

Pump Serial Number: 08B19 25 5040 Motor Serial Date: 07D19-11-8006
2396046021

Well Depth: 1474' Pump Setting: _____ Wire Size: 2/0

Hangpipe: Sch-80 PVC, Coil Pipe, Galv. Pipe, Size of Pipe: 5"

Tank(s): Air Volume, Bladder, Number of Tanks: _____ Size: _____ gallons

Installer: Robert W / Robert P Helper: Seth Sam

Other Information:

C. MILLER DRILLING

"Water Wells Done Right"

7355 East SH 154 ~ WINNSBORO, TX 75494 ~ USA
Phone 903-725-6524 ~ Fax 903-725-3647

Elm Creek WSC—36 hour pump test—4/14/08


The following is the results of our 36 hour pump test done on the new well

Static water level before beginning pump test on 4/14/08: 513' from ground
Began pumping at 8:00 p.m. 4/14/08.

Time:	Water level:	GPM discharge:
8:00 p.m. 4/14/08	513'	492 gpm
8:15	738'	430
8:30	745'	427
8:45	751'	425
9:00	754'	425
9:15	757'	425
9:30	760'	424
9:45	762'	420
10:00	763'	420
10:30	766'	420
11:00	768'	420
11:30	770'	420
12:00 a.m.	772'	420
1:00	774'	420
2:00	776'	420
3:00	778'	415
4:00	780'	415
5:00	782'	415
6:00	783'	415
7:00	784'	413
8:00	785'	411
9:00	786'	411
10:00	787'	410
11:00	787'	410
12:00 p.m.	788'	410
1:00	789'	410
2:00	790'	410
3:00	790'	410
4:00	791'	410
5:00	792'	410
6:00	793'	410
7:00	793'	410
8:00	758'	350
9:00	757'	350

Test pumping report continued:

<i>time:</i>	<i>Water level:</i>	<i>GPM discharge:</i>
10:00	757'	350
11:00	756'	350
12:00 a.m.	756'	350
1:00	756'	350
2:00	732'	300
3:00	730'	300
4:00	727'	300
5:00	727'	300
6:00	727'	300
7:00	727'	300
8:00 a.m.	726'	300
9:30 a.m.	pump shut off	
Recovery:		
9:30	705'	0
9:35	612'	0
9:40	586'	0
9:45	572'	0
9:50	567'	0
9:55	563'	0
10:00	561'	0
10:05	549'	0
10:10	557'	0
10:15	555'	0
10:20	554'	0
10:25	553'	0
10:30	552'	0
10:45	549'	0
11:00	547'	0
11:15	545'	0
11:30	542'	0
12:00	542'	0
12:30	541'	0



10453

OGLESBY
IP 470

LIME CITY

1996

GAVITT COM
107 FAS

11926

Lime

Station Creek
10031

11926

Eagle Springs
2671

MOTHER NEFF
STATE PARK

10450

10031

1114

THE GROVE

WHITSON COM
107 FAS

10450

CORNELL COUNTY

C O U N T Y


NATL INDR
RESER
ORDNAN
PLANT

To McGree

To Moody

To Temple

97030'



E
L
C
M

97°10'

31°20'

SC

Cottonwood
North
Cow Bayou

37

Cottonwood
South
Cow Bayou

10034

100

Creek

Cottonwood
Branch

10030

11285

11285

11159

BRUCEVILLE-EDDY ST
1039

10051

58821

11285
Cottonwood
Branch

11285

TO AUSTIN

123

97°10'