

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 40-24-1A Located on map YES Received: C.F.8.

OWNER Ross Water Supply Corp. Address P.O. Box 20, Ross, Texas 76684

LOCATION OF WELL: County McLennan miles in 2 miles north of Elm Mott direction from Trinity Well No. 2

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map.

TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging, PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other, DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

WELL LOG: Date drilled 3-4-82, DIAMETER OF HOLE (Dia. in., From ft., To ft.), BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Includes 'see attached' entries.

RECEIVED stamp

JUL 28 1982 stamp

DEPT. OF WATER RESOURCES stamp

CEMENTING DATA: Cemented from ft. to ft., Method used, Cemented by (Company or Individual)

WATER LEVEL: Static level ft. below land surface, Date, Artesian flow gpm, Date

PACKERS: Type, Depth, see attached

TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., ft.

WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes/No, If yes, submit "REPORT OF UNDESIRABLE WATER", Type of water?, Depth of strata, Was a chemical analysis made? Yes/No

WELL TESTS: Type Test: Pump, Bailor, Jetted, Estimated, Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Joe W. Dillard Water Well Drillers Registration No. 265

ADDRESS 8325 Forney Rd., Dallas, Texas 75227

(Signed) J. L. Myers Company (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

40-24-103

DRILLERS' S LOG

OWNER: ROSS WATER SUPPLY CORPORATION WELL NO. 2
LOCATION: 2 MILES NORTH - ELM MOTT
DRILLER: T. WIGINGTON J. BISHOP
DATE: MARCH, 1982

| DEPTH OF STRATA | | EACH STRATUM Amount | DESCRIPTION |
|-----------------|------|------------------------|---|
| From | To | | |
| 0 | 37 | 37 | Top soil |
| 37 | 80 | 43 | Yellow clay and gravel |
| 80 | 98 | 18 | Light yellow clay, gray clay and gravel |
| 98 | 128 | 30 | Hard lime |
| 128 | 150 | 22 | Lime and clay |
| 150 | 156 | 6 | Clay and gravel |
| 156 | 170 | 14 | Lime and clay |
| 170 | 190 | 20 | Clay and gravel |
| 190 | 230 | 40 | Clay |
| 230 | 240 | 10 | Clay and sand |
| 240 | 255 | 15 | Brown clay |
| 255 | 275 | 20 | Light gray fine shale and sand |
| 275 | 285 | 10 | Fine gray shale |
| 285 | 304 | 19 | Fine gray shale and sand |
| 304 | 320 | 16 | Fine gray shale |
| 320 | 336 | 16 | Fine shale, lime with sand |
| 336 | 367 | 31 | Fine gray shale, sand with lime |
| 367 | 390 | 23 | Fine gray shale and sand |
| 390 | 399 | 9 | Fine sandy lime |
| 399 | 430 | 31 | Fine gray shale |
| 430 | 435 | 5 | Fine gray shale with lime |
| 435 | 470 | 35 | Fine gray shale |
| 470 | 493 | 23 | Fine gray shale and lime |
| 493 | 540 | 47 | Fine shale |
| 540 | 695 | 155 | Shale and lime |
| 695 | 711 | 16 | Lime with some shale |
| 711 | 765 | 54 | Soft gray shale |
| 765 | 840 | 75 | Gray shale and lime |
| 840 | 855 | 15 | Lime with some shale |
| 855 | 895 | 40 | Lime and shale |
| 895 | 899 | 4 | Lime with some shale |
| 899 | 915 | 16 | Lime and shale |
| 915 | 925 | 10 | Lime with some shale |
| 925 | 935 | 10 | Hard lime with shale streak |
| 935 | 962 | 27 | Soft lime and sand |
| 962 | 994 | 32 | Hard lime |
| 994 | 1015 | 21 | Lime and shale |

40-24-103

DRILLER'S LOG
ROSS WATER SUPPLY CORPORATION WELL NO. 2

| DEPTH OF STRATA | | EACH STRATUM Amount | DESCRIPTION |
|-----------------|------|------------------------|----------------------------------|
| From | To | | |
| 1015 | 1155 | 140 | Lime |
| 1155 | 1160 | 5 | Shale |
| 1160 | 1165 | 5 | Shale and lime |
| 1165 | 1220 | 55 | Lime |
| 1220 | 1244 | 24 | Hard lime, gravel and sand |
| 1244 | 1265 | 21 | Shale, gravel and lime |
| 1265 | 1280 | 15 | Shale and lime |
| 1280 | 1290 | 10 | Shale, lime and sand |
| 1290 | 1369 | 79 | Lime and shale |
| 1369 | 1400 | 31 | Soft lime with coarse sand |
| 1400 | 1450 | 50 | Soft lime and sandy limestone |
| 1426 | 1526 | 76 | Lime with some shale |
| 1526 | 1605 | 69 | Soft lime and limestone |
| 1605 | 1652 | 47 | Lime and shale |
| 1652 | 1683 | 31 | Limestone and gravel |
| 1683 | 1715 | 32 | Soft lime and limestone |
| 1715 | 1820 | 105 | Shale and lime |
| 1820 | 1870 | 50 | Shale, lime and clay |
| 1870 | 1880 | 10 | Austin chalk and lime |
| 1880 | 1905 | 25 | Lime with some shale |
| 1905 | 1933 | 28 | Soft lime and limestone |
| 1933 | 2005 | 72 | Lime, shale and sand |
| 2005 | 2028 | 23 | Lime, shale and lignite |
| 2028 | 2-60 | 32 | Lime and shale with sand |
| 2060 | 2110 | 50 | Sand |
| 2110 | 2175 | 65 | Shale, red bed, lignite and sand |
| 2175 | 2217 | 42 | Red bed, lignite and lime |
| 2217 | 2270 | 53 | Sandy lime |
| 2270 | 2300 | 30 | Lime, shale and some sand |
| 2300 | 2335 | 35 | Gray shale |
| 2335 | 2350 | 15 | Shale and red bed with some sand |

40-24-103